

Permit No. G- G 4298

AUG 29 1968

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 38160

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, FRANK R KIZER (Name of applicant)
of 1703 KENNORTHY RJ Albany, county of LINN, (Postoffice Address)
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Between Musler Creek & Bic SLoughor (Trus Slough (Name of stream) tributary of Willomette River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is Aliegation of posters
and possibly other Crops
4. The well or other source is located 530 ft. S and 275 ft. E from the NW corner of Milton Houston South Condition Lond Chain
corner of Milton Houston Donetton Chain (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SE + OF AE + of Sec. 3.3., Twp. 105., R.3W.,
W. M., in the county of Link
5. The
in length, terminating in the of Sec Twp, (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Land FRANK R. 1. 25R No. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
$\mathcal{N}A$
8. The development will consist of Give number of wells, tunnels, etc.)
diameter of
feet of the well will require

CANAL SYSTE	M OR PIPE LIN	E		G 4298
9. (a) Gir	e dimensions at e	each point of ca	nal where materially chang	ed in size, stating miles from
eadgate. At hea	dgate: width on t	op (at water lin	se)	feet; width on botton
	feet; depth of u	water	feet; grade	feet fall per on
housand feet.	•	•		
(b) At	mi	les from headg	ate: width on top (at water	· line)
			feet; depth of w	
	feet fall p			·
(c) Length	of pipe,	ft.; s	ize at intake i	n.; in size at f
			use in.; diff	
			grade uniform?	
		•		
	•	cina size and to	pe 10 HP Sun	219.00
200 - , p.a	po al o to oc about,	give size ana ig	pe	ercap _{lo}
Leftica 11. If the l natural stream e difference in	ocation of the well or stream channel elevation between	l, tunnel, or other l, give the distant the stream bed	er development work is less nce to the nearest point on I and the ground surface as	s than one-fourth mile from each of such channels and the source of developmen
Lafrica 11. If the l natural stream e difference in will	CREEK	l, tunnel, or other l, give the distant the stream bed STREAM	er development work is less ince to the nearest point on and the ground surface at the second surface at the s	s than one-fourth mile from each of such channels and the source of development of the source of
Leftica 11. If the lefter and stream edifference in the stream of the s	CREEK	l, tunnel, or other l, give the distant the stream bed STREAM	er development work is less nee to the nearest point on and the ground surface as	s than one-fourth mile from each of such channels and the source of development of the source of
11. If the latural stream difference in the Latural stream in the	cation of the well or stream channel elevation between SAPPRCA	l, tunnel, or other l, give the distant the stream bed St. St. St. T. St. T. St. T. St. T.	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of development of the source of development of the source of th
11. If the latural stream edifference in the Latural stream in the	cation of the well or stream channel elevation between S. APPRCA. CREATION OF THE APPRCA. THA N. L. n of area to be irrectly an elevation of area to be irrectly and the strength of willamette Meridian.	l, tunnel, or other l, give the distant the stream bed St. St. St. T. St. T. St. T. St. T.	er development work is less not to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of development of the source of development of the source of th
11. If the leadural stream edifference in the stream of th	cation of the well or stream channel elevation between S. APPRCA. THA N. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W	l, tunnel, or other l, give the distant the stream bed St. St. St. T. St. T. St. T. St. T.	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of developmen of the source of the
11. If the leadural stream edifference in the stream of th	cation of the well or stream channel elevation between S. APPRCA. CACALLA M. L. I THA M. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W 3 W 3 W	l, tunnel, or other l, give the distant the stream bed of the stre	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of development of the source of
In If the language of the stream of the stre	cation of the well or stream channel elevation between S. APPRCA. THA N. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W	l, tunnel, or other l, give the distant the stream bed St. St. St. T. St. T. St. T. St. T.	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of developmen of the source of the
11. If the leadural stream edifference in the stream of th	cation of the well or stream channel elevation between S. APPRCA. CACALLA M. L. I THA M. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W 3 W 3 W	l, tunnel, or other l, give the distant the stream bed of the stre	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of development of the source of
11. If the lead the stream of	cation of the well or stream channel elevation between S. APPRCA. CACALLA M. L. I THA M. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W 3 W 3 W	l, tunnel, or other l, give the distant the stream bed of the stre	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of developmen of the source of the
11. If the lead the stream of	cation of the well or stream channel elevation between S. APPRCA. CACALLA M. L. I THA M. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W 3 W 3 W	l, tunnel, or other l, give the distant the stream bed of the stre	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of developmen of the source of the
11. If the lead stream the difference in the lead of t	cation of the well or stream channel elevation between S. APPRCA. CACALLA M. L. I THA M. L. n of area to be irr Range E. or W. of Willamette Meridian 3 W 3 W 3 W	l, tunnel, or other l, give the distant the stream bed of the stre	er development work is less nee to the nearest point on and the ground surface at the second surface at the se	s than one-fourth mile from each of such channels and the source of development of the source o

Character of soil SILTY CLAY LANG.

Kind of crops raised FORAGE

MUNICIPAL SUPPLY— 13. To supply the city of	
in county, having a present population of	
and an estimated population of in 19 in 19	
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES	
14. Estimated cost of proposed works, \$ \(\lambda \) \(\text{O} \) \(\text{O} \)	•
	2, 34
15. Construction work will begin on or before Well Complete Mesle Wotten.	June 1,
16. Construction work will be completed on or before	
17. The water will be completely applied to the proposed use on or before . July 20	1968
18. If the ground water supply is supplemental to an existing water supply, identify a cation for permit, permit, certificate or adjudicated right to appropriate water, made or hel	ny appli-
applicant	••••••
Jronk R. Kigal (Signature of applicant)	
Remarks:	
	•
	•••••

	•••••••
	••••••
•	
STATE OF OREGON, as a second s	
County of Marion,	
This is to certify that I have examined the foregoing application, together with the according	npanying
maps and data, and return the same forcorrection	*************

In order to retain its priority, this application must be returned to the State Engineer, wi	th correc-
tions on or beforeNovember 18,, 19.68	
WITNESS my hand this day of September 16,	8
,,	
RECEIVED CHRIS L. WHEELER	PNCINDO

STATE ENGINEER
SALEM OREGON

By Complete State Engineer

ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
or source of appropriation, or its equivalent in case of rotation with other water users, from a well
The use to which this water is to be applied isirrigation
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
TOWN,
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is August 29, 1968
Actual construction work shall begin on or before March 19, 1970 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70
Complete application of the water to the proposed use shall be made on or before October 1, 1971
WITNESS my hand this 19th day of March , 1969
STATE ENGINEER
And the second of the second o
in the regon, of 298

Application No. G-457.
G 4298
Permit No. G-

PERMIT
TO APPROPRIATE THE GROUN

WATERS OF THE STATE

OF OREGON

This instrument was first received in t office of the State Engineer at Salem, Orego

on the 29th day of Cluich 1968, at 8:00 o'clock

Returned to applicant:

March 19, 196

Approved:

Recorded in book No.

Ground Water Permits on page

CHRIS L. WHEELER

STATE : Drainage Basin No.?... page ..

\$2025