

RECEIVED
SEP 18 1968

STATE ENGINEER
SALEM OREGON

Permit No. G-G 4325

CERTIFICATE NO. 46085

APPLICATION FOR A PERMIT

SIGNED, See Misc. Rec., Vol. 4 Page 2052

To appropriate the Ground Waters of the State of Oregon

TUCKER-OTTMAR FARMS, INC.
P. O. BOX 1045
HERMISTON, OREGON 97838

I, _____
(Name of applicant)

of _____, county of Morrow & Umatilla,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:-

If the applicant is a corporation, give date and place of incorporation

Walla Walla, Wash. Oct. 1958

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Butter Creek
(Name of stream)

tributary of Umatilla

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 8,000 gallons per minute. 2,000 for each of four wells

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1. 1898 ft. N. 2062 ft. W. SE corner of Sec. 4 NW SE 4. 2433 ft. S 1570 ft. (E. of W.) NW NE
2. 701 ft. N. 2310 ft. E. from the SW corner of Sec. 4 NW SE 4. 2433 ft. S 1570 ft. (E. of W.) NW NE
2. 3 SE SW 2N, 27 E of WM in Morrow County
3. 10 SE of NW 2N, 27 E of WM in Umatilla County
4. 16 SE of NE 2N, 27 E of WM in Morrow County
(If there is more than one well, each must be described. Use separate sheet if necessary)

1 & 10-14

being within the _____ of Sec. _____, Twp. _____, R. _____

W. M., in the county of _____

5. The Portable lines to be used _____ to be _____ miles
(Canal or pipe line)

in length, terminating in the _____ of Sec. _____, Twp. _____

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 4 wells _____ each _____ having a diameter of 20 inches and an estimated depth of 1000 feet. It is estimated that 30 feet of the well will require steel casing. Depth to water table is estimated 400
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4325

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, Portable lines to be used in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 0-100 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 14" Turbines

Give horsepower and type of motor or engine to be used 450 Hp Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
3N	27E	32													02		41	133
3N	27E	33	336	366	424	389	358		95	382	330	126	145	385	425	425	425	425
2N	27E	2									238	356	375	22				
2N	27E	3	400	400	400	400	400	400	400	400	400	400	400	400	364	400	400	394
2N	27E	4	404	404	372	404	208	251	389	192	312	336	404	401	404	412	398	404
2N	27E	5	276	404	404	402	385	342	403	403	404	404	404	404	403	384	386	403
2N	27E	6	218	81	403	403	35	21	403	403	404	399	401	404	404	401	404	404
2N	27E	7	382	382	382	382	382	315	102	371	241			15	382	382	345	382
2N	27E	8	416	416	416	416	385	385	384	385	385	384	384	385	416	416	412	412
2N	27E	9	392	396	392	392	396	396	392	392	392	392	392	392	392	392	392	392
2N	27E	10	400	400	400	358	400	400	400	400	376	400	400	362		342		
2N	27E	15					400	400	400	302	252	400	400	186				
2M	27E	16	406	406	406	406	406	406	406	406	406	406	406	402	406	406	402	402
2N	27E	17	433	433	434	434									434	434	434	434

Character of soil Ritzvill Sandy Loam TOTAL-6463

Kind of crops raised Small grains and Row crops

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 400,000.00
- 15. Construction work will begin on or before Sep. 1, 1969
- 16. Construction work will be completed on or before Sep. 1, 1970
- 17. The water will be completely applied to the proposed use on or before Sep. 1, 1972

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Curtis Ottmar
Curtis Ottmar (Signature of applicant)
Pres.

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Corrections

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 24th, 19.68..

WITNESS my hand this 24th day of October, 1968..

RECEIVED
DEC 20 1968
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *[Signature]*
ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 17.84 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from four wells being 4.46 cfs from each well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; The right allowed herein shall not authorize appropriation from the aquifer supplying those wells described in the State Engineer's Ground Water Report No. 11 as "Deep Wells in Basalt" unless appropriations are permitted in the final order of the State Engineer declaring that aquifer a critical ground water area,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 18, 1968

Actual construction work shall begin on or before April 9, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 9th day of April, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G-4601
Permit No. G-4325

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of September, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 9, 1969

Recorded in book No. of Ground Water Permits on page G 4325

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 63

4130