

**RECEIVED**  
OCT 7 1968  
STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 41256

Permit No. G-G 4356

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Johns, Smith and Beamer (Name of applicant)

of P. O. Box 161, Athena 97813, county of Umatilla  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Wildhorse Creek  
(Name of stream)

tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is 21.26 cubic feet per second or 9543 gallons per minute.

3. The use to which the water is to be applied is Supplemental irrigation

Well no. 2 10.63 cfs Well no. 3 10.63 cfs (See remarks)

4. The well or other source is located See attached ft. and See attached ft. from the

Well No. 2 2550' N. and 1930' E. of the S & cor. Sec. 32, T.4N., R. 35 E.W.M., Being within the NE SE, Umatilla County  
Well No. 3 3200' N. and 1920' E. of the S & cor. Sec. 32, T.4N., R. 35 E.W.M., Being within the SE NE, Umatilla County

SEC 7  
4N 35E

being within the of Sec. , Twp. , R. , W. M., in the county of

5. The as shown on the map to be See attached miles  
(Canal or pipe line)  
in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is Bill Johns well No. 2 and Johns well No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not applicable

8. The development will consist of two wells having a

Well No. 2 Diameter of 10" and est. depth of 1000'. 33' standard casing. Water table est. at 100'  
Well No. 3 Diameter of 8" and est. depth of 788'. 22' standard casing. Water table est. at 140'

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... portable ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... 150 ..... ft. Is grade uniform? ..... yes ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Well No. 2 ..... turbine .....  
Well No. 3 Turbine

Give horsepower and type of motor or engine to be used Well No. 2 100 H.P. Electric .....  
Well No. 3 150 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well No. 2 20' east of channel ..... 8' higher than stream channel .....  
Well No. 3 100' east of channel ..... 10' higher than the channel .....

12. Location of area to be irrigated, or place of use T. 4N, R. 34 & 35 EWM, Sections 19, 32, 11, 13  
14, 22, 23, 24, 25, 26, 27, Murtilla County

Twp.	Range	Sec.	Range																Elev.
			NE 1/4				NW 1/4				SW 1/4				SE 1/4				
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4 N	35 E	19						5					8						13
		32				4											10.4		14.4
4 N	34 E	11									40	40	40	40					160.0
		13									40	39.39	<del>40</del>	40					159.5
		14			40	40					40	40	40	40	40	40	40	40	400.00
		22	<del>40</del>												<del>40</del>				39.5
		23		40	40	27.88					39.5	39.5	<del>40</del>	39.5					266.38
		24	40			39.5			20	1.6					32				133.1
		25									40	40	40	40					160.0
		26					39.5	40	<del>39.5</del>	39.5									158.5
		27	<del>40</del>	<del>40</del>	<del>40</del>	<del>40</del>													158.0

(11)

1662.27

Character of soil ..... Wells Wells Silt Loam .....  
Kind of crops raised Peas, wheat, Row Crops .....

SECRET

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 45,000.00.....

15. Construction work will begin on or before Jan. 1, 1969.....

16. Construction work will be completed on or before Jan. 1, 1970.....

17. The water will be completely applied to the proposed use on or before Jan. 1, 1972.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental to Permit No. G-3582, Application No. G-3796.....

Supplemental to Permit # 30558 Cert # 34733

John Smith Blanes  
(Signature of applicant)  
by J. O. Smith - ET

Remarks: Wells to be dumped into Wildhorse Creek and then removed at P.O.D. The water will be

measured in and out, and when the meters are received we will furnish a copy of their numbers and other information to your office.

Question No. 3: As Stated above the wells are to be pumped into the creek, removed at p.o.d. downstream, and will be put in the distribution system which is all tied together by mainlines and laterals.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Corrections.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 23rd....., 1968..

WITNESS my hand this 23rd day of October....., 1968..

RECEIVED  
DEC 17 1968

STATE ENGINEER  
SALEM OREGON

CHRIS L. WHEELER  
STATE ENGINEER

By [Signature]  
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 20.78 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 10.39 cfs from each well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3

acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, provided further that in the event the operation of these wells result in reduction of the natural flow of wildhorse Creek, water from said wells in addition to that appropriated within the limitations of the duty of water as fixed herein, shall be discharged as ordered by the watermaster into the channel of Wildhorse Creek in the amount necessary to offset such reduction, and provided further that the amount of water rediverted from the channel of Wildhorse Creek shall not exceed the amount by which the flow of Wildhorse Creek at the point of rediversion is increased above the natural flow by the operation of said wells

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 7, 1968

Actual construction work shall begin on or before May 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 14th day of May, 1969

Chris L. Wheeler STATE ENGINEER

Application No. G-4632 Permit No. G-4356

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of October, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved: May 14, 1969

Recorded in book No. of Ground Water Permits on page G-4356

CHRIS L. WHEELER STATE ENGINEER Drainage Basin No. 7 page 6.3

878213 612-374