

RECEIVED
OCT 14 1968
STATE ENGINEER
SALEM OREGON

Permit No. G- G 4369 CERTIFICATE NO. 42250

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, DARRELL PADBERG (Name of applicant)
of Box 394 TONE, ORE. (Postoffice Address), county of MORROW
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated RHEA CREEK (Name of stream)

tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is Two cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 1120 ft. SOUTH and 360 ft. WEST from the NE corner of SEC. 35 (N. or S.) (E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 OF NE 1/4 of Sec. 35, Twp. 11S, R. 24E, W. M., in the county of MORROW

5. The to be miles (Canal or pipe line) in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is Darrell Padberg Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 WELL (Give number of wells, tunnels, etc.) having a diameter of 12" inches and an estimated depth of 400 feet. It is estimated that 25 feet of the well will require STEEL (Kind) casing. Depth to water table is estimated 125 (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10" TURBINE

Give horsepower and type of motor or engine to be used 75 HP ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

The well is 120 ft from Rhed Creek.
The top of well is 10 ft above stream bed.

12. Location of area to be irrigated, or place of use

	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
SUPPLEMENTARY WATER	1. S.	24 E	25	S. E. $\frac{1}{4}$ OF N. W. $\frac{1}{4}$	30.0
			25	S. W. $\frac{1}{4}$ OF N. E. $\frac{1}{4}$	4.5
			25	N. E. $\frac{1}{4}$ OF S. W. $\frac{1}{4}$	15.0
			25	N. W. $\frac{1}{4}$ OF S. W. $\frac{1}{4}$	12.0
			25	S. W. $\frac{1}{4}$ OF S. W. $\frac{1}{4}$	10.0
					71.5
PRIMARY WATER			25	N. W. $\frac{1}{4}$ OF S. W. $\frac{1}{4}$	5.6
			25	N. E. $\frac{1}{4}$ OF S. W. $\frac{1}{4}$	14.6
			25	S. W. $\frac{1}{4}$ OF S. W. $\frac{1}{4}$	14.8
			36	N. W. $\frac{1}{4}$ OF N. W. $\frac{1}{4}$	12.0
			35	N. E. $\frac{1}{4}$ OF N. E. $\frac{1}{4}$	17.6
		35	S. E. $\frac{1}{4}$ OF N. E. $\frac{1}{4}$	22.0	
					76.6

(If more space required, attach separate sheet)

TOTAL 148.1

Character of soil FINE SANDY LOAM

Kind of crops raised HAY AND PASTURE

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$10,000.⁰⁰
 - 15. Construction work will begin on or before Sept. 20, 1968
 - 16. Construction work will be completed on or before Oct 30, 1968
 - 17. The water will be completely applied to the proposed use on or before April 1, 1969
 - 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Water permits issued to E. L. Palberg to irrigate from Blue creek. 1880 - 15 ACRES 1899 56.5 ACRES
cut 223
- David U. Palberg
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 24, 1968.

WITNESS my hand this 24th day of October, 1968

RECEIVED
NOV 19 1968
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By [Signature]
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.85 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 14, 1968

Actual construction work shall begin on or before May 23, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970
Extended to Oct. 1 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1971
Extended to Oct. 1 1972

WITNESS my hand this 23rd day of May, 1969
Extended to Oct. 1 1973

Chris L. Wheeler
STATE ENGINEER

Application No. G-4644
Permit No. G-G 4369

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of October, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: May 23, 1969

Recorded in book No. _____ of _____
Ground Water Permits on page G 4369

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 7 page 63

43225

Sheet 5a