

Permit No. G- G 4379

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, ORCHARD PARK WATER SUPPLY COMPANY (Name of applicant)

of Post Office Box 747, Albany, Oregon, county of Benton (Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

June 10, 1963, Albany, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.7 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is domestic residential use

4. The well or other source is located 105.7 ft. N. 32° 22.9' E from the S. E. corner of Lot 9, Block 3, Orchard Park Subdivision, Benton County, Oregon (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the Boundaries SW 1/4 SE 1/4 of Sec. 31, Twp. 10S, R. 3 W, W. M., in the county of Benton

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is ORCHARD PARK WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

NOT ARTESIAN

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 50 feet. It is estimated that feet of the well will require 39.17 gage steel casing. Depth to water table is estimated 10 (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type TURBINE

Give horsepower and type of motor or engine to be used 15 Horsepower 3Ø 220V

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Orchard Park Subdivision consisting of 41 single family lots.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	3 WEST	31	SE 1/4 SW 1/4	Domestic
			SW 1/4 SE 1/4	Domestic

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Residential

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before completed 6/5/65.....
- 17. The water will be completely applied to the proposed use on or before now in use.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.not supplemental.....

Orchard Park Water Supply Co.
 By *[Signature]* (Signature of applicant) President

Remarks: WELL HAS BEEN IN USE AND OPERATION ON THE PREMISES SINCE
 June 5, 1965.....

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 6th....., 1969..

WITNESS my hand this 6th..... day of November....., 1968...

RECEIVED
 NOV 12 1968
 STATE ENGINEER
 SALEM, OREGON

CHRIS L. WHEELER
 STATE ENGINEER
 By *[Signature]*
 Larry W. Jebousek
 ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is domestic use of forty-one families

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year; _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 22, 1968

Actual construction work shall begin on or before May 23, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of May, 1969

Chris L. Wheeler
STATE ENGINEER

Application No. G-4655
Permit No. G-4379

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22nd day of October,
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 23, 1969

Recorded in book No. _____ of _____

Ground Water Permits on page G 4379

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 109

pc

Handwritten signature/initials