

Permit No. G- G 4383

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Velma King (Name of applicant)
of Rtl Box 45A, county of
state ofOregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Butte Creek (Name of stream)
tributary of Pudding River
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Irrigation & Domestic
4. The well or other source is located
Corner of
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SNA of SEA of Sec. 4, Twp. 6S, R. IE
W. M., in the county of
5. The to be miles
in length, terminating in the
R
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of one
diameter of
feet of the well will requiresteel casing. Depth to water table is estimated (Kind) (Feet)

CANAT.	SVSTEM	OR PIPE	LINE.
CANAL	OIDIEM	On FIFE	T1111 55

Jeet; depth of water	tion between
feet; width on bottom	ated capac
de	ated capac
(c) Length of pipe,	ated capac
(c) Length of pipe,	ated capac
in.; size at place of use in.; difference in elevatake and place of use, ft. Is grade uniform? Estim sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-four stural stream or stream channel, give the distance to the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation of the vell, tunnel, or other development work is less than one-four the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of the nearest point on each of such end of	ated capac
sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-four tural stream or stream channel, give the distance to the nearest point on each of such edifference in elevation between the stream bed and the ground surface at the source of the stream bed an	ated capac
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such edges and the ground surface at the source of the nearest point on each of such edges and the ground surface at the source of the nearest point on each of such edges and the ground surface at the source of the nearest point of the nearest point on each of such edges at the source of the nearest point of the ne	
Give horsepower and type of motor or engine to be used	
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-four stural stream or stream channel, give the distance to the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the	
11. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the source of the surface at the source of the stream bed and the ground surface at the source of the source of the surface at the source of the stream bed and the ground surface at the source of the surface at the surface at the source of the surface at t	
11. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the source of the stream bed and the ground surface at the source of the source	
11. If the location of the well, tunnel, or other development work is less than one-four tural stream or stream channel, give the distance to the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such e difference in elevation between the stream bed and the ground surface at the source of the nearest point on each of such end of such elevation between the stream bed and the ground surface at the source of the nearest point on each of such elevation between the stream bed and the ground surface at the source of the surface at the surf	•••••
Township E. or W. of Willamette Meridian Section Forty-acre Tract To Be 6S 1E 1 SW of SE 1	
	er Acres Irrigated
6S JE 9 NW of NE -	4.5
	20.5
	5
(If more space required, attach separate sheet)	
Character of soil Nekia Kind of crops raised Berries	

WITNESS my hand this ... 6th day of November, 168

REGENTED JAN 14 186°

CHRIS L. WHEELER

STATE ENGINEER

STATE ENGINEER SALEM OREGON By

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		erein grant			:							-		
		iation, or its			•									
		which this	water		ipplied	is irri	gatio	n	, 	********		••••••		•••••
If f	or irriga	tion, this ap	propr	riation sho	all be l	imited to	1/	80th	••••••	of or	ne c ubi	c foot	per se	econd
	,	e for each a												•
						••••			•••••		•••••		•••••	
and shall The the works The line, adeq The keep a co	be subject well shes shall in works to the permit mplete results.	ect to such all be case iclude prop constructed determine tee shall in record of the	reason d as n er cap l shall water stall a e am o	ecessary ping and include level ele nd maint unt of gr	tion sy in acco contro an air evation ain a c ound u	ordance I valve t line and in the i veir, met vater wit	may be with g to prevo pressu vell at ter, or o thdraw	ordere ood pro ent the re gaugall time other su n.	ed by actice wast ge or es. itabl	the period and according to the period according to th	oroper s if the ground ccess po	state o flow water ort for	fficer is art meas	tesian uring
		struction w		•									. and	shall
thereafte	r be pro	secuted wi	th rea	isonable (diligen	ce and b	e comp	oleted (on or	befo	re Oct	ober 1	19.79	<u>)</u>
Con	mplete a	pplication	of the	water to	the pro	posed u	se shall	be mad	de on	or be	fore O	ctober	1, 19	71
WI	TNESS	my hand th	is2	3rd	ay of		May	9	•••••	٠٠٠٠٠٠٠٠	199	••••		
								~ /	-7,	d.	'elo-	STATE	ENGIN	TEER Y
Application No. G-4657. G 4383 Permit No. G-	PERMIT	TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the 24th day of	19.62, at B.OO. o'clock	Returned to applicant:		Approved:	May 23, 1969	Recorded in book No of	Ground Water Permits on page G 4383	CHRIS L. WHEELER STATE ENGINEER	Drainage Basin No. 2. page 102.	State Printing