

3935

Permit No. G-4384

CERTIFICATE NO. 44496

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Elsie P. Strome, Martin G. Strome, Roberta J. Strome of 1425 Hwy 99E Junction City, county of Lane, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamett River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. and ft. from the

- #9- 3070'S & 2575'E NW corner Sec. 20 NE 1/4 SW 1/4
#10- 950'S & 370'E NW corner Sec. 20 NW 1/4 NW 1/4 corner)
#11- 2200' S & 2575'E NW corner Sec. 20 SE 1/4 NW 1/4 (ate sheet if necessary)
#12- 2730'S & 4030'E NW corner Sec. 20 NE 1/4 SE 1/4 Twp. R.
#13- 2900'S & 1590'E NW corner Sec. 20 NE 1/4 SW 1/4
#14- 610'S & 1805'E NW corner Sec. 29 NE 1/4 NW 1/4 to be miles
#15- 1200'S & 1035'E NW corner Sec. 29 NW 1/4 NW 1/4 of Sec. Twp.
#16- 3595'S & 1525'W NE corner Sec. 19 NW 1/4 SE 1/4 on the accompanying map.
#17- 4215'S & 1525'W NE corner Sec. 19 SW 1/4 SE 1/4
#18- 4715'S & 1525'W NE corner Sec. 19 SW 1/4 SE 1/4 S
#19- 5000'S & 1525'W NE corner Sec. 19 SW 1/4 SE 1/4 or the control and conservation of the
#20- 4631'S & 284'W NE corner Sec. 19 SE 1/4 SE 1/4

all in Twp. 15 South, R. 4 West, W.M.

8. The development will consist of See additional listing 12 wells having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated

Item 8 and 10

Well NO. 9 Two pipes about 15 feet apart mated together with one pump. diameter of pipe one is 4" other 5" depth 28 FT steel casing 28 FT deep water Table 8 feet

	Pump	3x4 Centrifical	20 Hp Electric	
<u>10</u>	10"	80'	80'	Steel 8'
<u>11</u>	4"	28'	28'	steel 8'
<u>12</u>	Same as NO 9			
<u>13</u>	5"	28'	28'	steel 6'
<u>14</u>	5"	28'	28'	steel 6'
<u>15</u>	5"	28'	28'	steel 6'
<u>16</u>	10"	100'	400'	steel 10'
<u>17</u>	5"	28'	28'	steel 6'
<u>18</u>	5"	28'	28'	steel 8'
<u>19</u>	5"	28'	28'	steel 7'
<u>20</u>	5"	28'	28'	steel 8'

30 Hp Electric Turbin 4" outlet
 3x4 20 Hp Electric Centrifical
 3x4 25 Hp Electric Centrifical
 " " " "
 " " " "
 " " " "
 4" outlet turbin 40 Hp electric
 3x4 25 Hp Electric Centrifical
 " " " "
 " " " "
 " " " "

Application No. G-4660
 Permit No.

CANAL SYSTEM OR PIPE LINE—

G 4384

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Well #9	155	4W	20	SW NE	25
				SE NW	20
				NE SW	160
				NW SE	60 = 265
#10			19	NE NE	150
				SE NE	44 767 acres
			20	NW NW	375
				SW NW	14 520 = 714 acres
#11		20	SW NE	40	
			SE NW	50 = 90	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

20 SW NE

50

SE NE

82

NE SE

100

NW SE

50 = 287

20 SW NW

21

SE NW

30

NE SW

134

NW SW

60 = 251

29 NE NW

400

SE NW

100 = 500

29 NW NW

3100

SW NW

75 = 380

19 NE SE

175

NW SE

320

SW SE

370

SE SE

280 = 1150

19 SE SE

115 = 110

376 = AL

393, 376

#12

#13

#14

#15

Wells

#

16, 17,

18 & 19

well No 20

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Elsie P. Strome
(Signature of applicant)

Roberta J. Strome

Remarks:

Item No.	Quantity	Remarks
Well No. 9	450 g.p.m.	
10	550	
11	350	
12	450	
13	500	
14	550	
15	550	
16	500	
17	500	
18	450	
19	500	
20	500	
	<u>5350</u>	

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 10th 19..69.

WITNESS my hand this 10th day of February 19..69.

RECEIVED
MAR 18 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
LARRY W. JEBOUSEK
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.92 cubic feet per second measured at the point of diversion from the well or

source of appropriation, or its equivalent in case of rotation with other water users, from twelve wells being 0.33 cfs from well No. 9, 1.11 cfs from well No. 10, 0.11 cfs from well No. 11, 0.36 cfs from well No. 12, 0.31 cfs from well No. 13, 0.63 cfs from well No. 14, 0.48 cfs from well No. 15, 0.36 cfs from well No. 16, 0.36 cfs from well No. 17, 0.36 cfs from well No. 18, 0.36 cfs from well No. 19, and 0.15 cfs from well No. 20

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 24, 1968

Actual construction work shall begin on or before May 23, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of May, 1969

Chris L. Wheeler
STATE ENGINEER

Application No. G- 4660
Permit No. G- G 4384

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of October,
1968, at 11:00 o'clock A. M.

Returned to applicant:

Approved: May 23, 1969

Recorded in book No. G 4384
Ground Water Permits on page 109

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 109

State Printing
445-20

PC