

RECEIVED  
NOV 6 1968

STATE ENGINEER  
SALEM OREGON

Permit No. G- G 4402

CERTIFICATE NO. 446915

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Richard T. Wilkinson (Name of applicant)

of Hepburn (Postoffice Address), county of Morrow

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willow cr. (Name of stream)

tributary of Columba river

2. The amount of water which the applicant intends to apply to beneficial use is 2.4 cubic feet per second or 1077.19 gallons per minute. well #1 = 1.13 C.F.S. well #2 = 1.27 C.F.S.

3. The use to which the water is to be applied is Irrigation ~~prim & suppl.~~ prim & suppl.

Well #1 4. The well or other source is located 800 ft. S and 850 ft. W from the NE corner of Sec. 6 T.3 S. R.27 E. (N. or S.) (E. or W.)

Well #2 loc. 1500 ft. N & 1100 ft. E from the SW corner of sec. 32 T.2S. R.27 E. (Section or subdivision)

Well #3 loc. 1850 ft. N & 150 ft. W from the SE corner of sec. 36 T.2S. R.27 E. (If preferable, give distance and bearing to section corner)

well #1 is loc. in NE 1/4 of NE 1/4 of sec. 6 T.3 S. R.27 E. well #2 NW 1/4 of SW 1/4 sec. 32 T.2S R.27 E  
being within the Sec. 32 of Sec. T.3 S. R.27 E., Twp. T.3 S. R.27 E., R. T.3 S. R.27 E., W. M., in the county of Morrow

5. The Portable (Canal or pipe line) to be 2 miles in length, terminating in the Sec. 6 of Sec. T.3 S. R.27 E., Twp. T.3 S. R.27 E., R. T.3 S. R.27 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Dick's well's 1 & 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 (Give number of wells, tunnels, etc.) having a diameter of 10 1/2 inches and an estimated depth of 20 feet. It is estimated that 20 feet of the well will require steel (Kind) casing. Depth to water table is estimated 28 1/2 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) Portable feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Turbine 8" / 8" / 10"

Give horsepower and type of motor or engine to be used 75 H.P. 175 H.P. / ~~175 H.P.~~ Electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Morrow co. Ore.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	<u>Supplemental</u>			
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	31	NE SE 1/4	.33
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	31	SW SE 1/4	8.7
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	31	SE SE 1/4	13.48
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	32	NW SW 1/4	9.43
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	32	SW SW 1/4	3.05
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	32	S SW 1/4	2.0
T. 2S.	R. 27 E.	36	NE SE 1/4	7.7
T. 2S.	R. 27 E.	31	NW SW 1/4	17.0
T. 2S.	R. 27 E.	31	SW SW 1/4	3.2
well 2 <sup>nd</sup> T. 3S.	R. 27 E.	32	NE SE 1/4	15.83
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	32	NW SE 1/4	0.26
well 2 <sup>nd</sup> T. 3S.	R. 27 E.	6	NW NE 1/4	14.0 ac.
	<u>Primary</u>			
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	31	NE SE 1/4	1
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	31	SE SE 1/4	15.25
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	31	SW SE 1/4	8
well 2 <sup>nd</sup> T. 2S.	R. 27 E.	32	NW SW 1/4	2.5
well 2 <sup>nd</sup> T. 3S.	R. 27 E.	6	NW NE 1/4	4
T. 3S.	R. 27 E.	6	NE NE 1/4	33.75
T. 3S.	R. 27 E.	6	SW NE 1/4	7.5
T. 3S.	R. 27 E.	6	SE NE 1/4	14
T. 3S.	R. 27 E.	6	NE SE 1/4	2.5
T. 3S.	R. 27 E.	6	NW SE 1/4	5.25

(if more space required, attach separate sheet)

Character of soil ..... silt loam .....

Kind of crops raised ..... hay .....

well #	Prim.	T2S	R27E	Sec. 31	SE <sup>1</sup> SE <sup>1</sup>	7.50 ac.
" #1	"	"	"	" "	SW <sup>1</sup> SE <sup>1</sup>	0.50 "
" #1	"	T3S	R27E	Sec. 6	NE <sup>1</sup> NE <sup>1</sup>	33.75 ac.
" #1	"	"	"	" 6	NW <sup>1</sup> NE <sup>1</sup>	1.25 ac.
" #1	"	"	"	" 6	SE <sup>1</sup> NE <sup>1</sup>	17.00 ac.
" #1	"	"	"	" 6	SW <sup>1</sup> NE <sup>1</sup>	7.50 ac.
" #1	"	"	"	" 6	SE <sup>1</sup> NW <sup>1</sup>	12.50 ac.
" #1	"	"	"	" 6	NE <sup>1</sup> SE <sup>1</sup>	2.50 ac.
" #1	"	"	"	" 6	NW <sup>1</sup> SE <sup>1</sup>	5.25 ac.

84.75 ac.

well #	Prim.	T2S	R27E	Sec. 32	NW <sup>1</sup> SW <sup>1</sup>	2.50 ac.
" #2	"	"	"	Sec. 31	NE <sup>1</sup> SE <sup>1</sup>	5.00 ac.
" #2	"	"	"	Sec. 31	SE <sup>1</sup> SE <sup>1</sup>	4.70 ac.
" #2	"	T3S	"	Sec. 6	SW <sup>1</sup> SE <sup>1</sup>	14.00 ac.
" #2	"	"	"	Sec. 6	NW <sup>1</sup> NE <sup>1</sup>	7.00 ac.
" #2	"	"	"	Sec. 6	NE <sup>1</sup> NW <sup>1</sup>	7.50 ac.

42.70 ac.

well #	Suppl.	T2S	R27E	Sec. 32	NW <sup>1</sup> SE <sup>1</sup>	15.83 ac.
" #2	"	"	"	Sec. 32	NE <sup>1</sup> SW <sup>1</sup>	15.88 ac.
" #2	"	"	"	Sec. 32	NW <sup>1</sup> SW <sup>1</sup>	7.43 ac.
" #2	"	"	"	Sec. 32	SW <sup>1</sup> SW <sup>1</sup>	5.05 ac.
" #2	"	"	"	Sec. 31	NW <sup>1</sup> SE <sup>1</sup>	0.33 ac.
" #2	"	"	"	Sec. 31	SE <sup>1</sup> SE <sup>1</sup>	13.48 ac.
" #2	"	"	"	Sec. 31	SW <sup>1</sup> SE <sup>1</sup>	8.70 ac.
" #2	"	T3S	"	Sec. 6	NE <sup>1</sup> NW <sup>1</sup>	16.00 ac.
" #2	"	"	"	Sec. 6	NW <sup>1</sup> NE <sup>1</sup>	.96 ac.

85.66 ac.

TOTAL 213.11 ac.

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 50,000.00
- 15. Construction work will begin on or before April 1968
- 16. Construction work will be completed on or before Oct. 1968
- 17. The water will be completely applied to the proposed use on or before Oct. 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ..... supplemental to certificate #150, #151, of the Willow cr. decree.

*Richard T. Wilkinson*  
(Signature of applicant)

Remarks: *stock water place of use is shown on map (⊗)*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~Correction~~ ~~Correction and Completion~~ Completion.

In order to retain its priority, this application must be returned to the State Engineer with corrections on or before ~~February 12th~~ ~~March 24th~~ April 24th, 19 ~~68~~ ~~69~~ 69.

WITNESS my hand this ~~12th~~ ~~24th~~ 24th day of ~~December~~ ~~January~~ February, 19 ~~68~~ ~~69~~ 69.

**RECEIVED**  
MAR 3 1969  
STATE ENGINEER  
SALEM, OREGON

**RECEIVED** FEB 20 1969  
**RECEIVED** JAN 6 1969  
STATE ENGINEER SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
*Larry W. Jebousek*  
LARRY W. JEOUSEK  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 1.06 cfs from well No. 1 and 1.27 cfs from well No. 2

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 6, 1968

Actual construction work shall begin on or before July 11, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 11th day of July, 1969

*Chris L. Wheeler*  
STATE ENGINEER

Application No. G- 4674  
Permit No. G- 4402

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of November, 1968 at 8:00 o'clock A. M.

Returned to applicant:  
  
Approved: July 11, 1969

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Ground Water Permits on page 4402

CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 7 page 64

3620