

RECEIVED

NOV 21 1968

STATE ENGINEER
SALEM OREGON

Permit No. G- G 4412

CERTIFICATE NO. 41219

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, William Pittock
(Name of applicant)
of Route 1, Box 510, Applegate,
(Postoffice Address) county of Jackson
state of Oregon 97530, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Humbug Creek
(Name of stream)
tributary of Applegate River tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is irrigation.

4. The well or other source is located 1000 ft. N. and 940 ft. E. from the SW
(N. or S.) (E. or W.)
corner of Section 11
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 11, Twp. 38 S., R. 4 W.,
W. M., in the county of Jackson.

5. The pipeline
(Canal or pipe line) to be 1000 feet miles
in length, terminating in the SW 1/4 SE 1/4 of Sec. 11, Twp. 38 S.,
(Smallest legal subdivision) R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Pittock Well.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well
(Give number of wells, tunnels, etc.) having a
diameter of 6 inches and an estimated depth of 166 feet. It is estimated that 20
feet of the well will require 0.25 casing. Depth to water table is estimated 20
(Kind) (Feet)
static level - 45 feet.

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 3 in.; in size at ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, ± 20 ft. Is grade uniform? Yes Estimated capacity, 0.13 sec. ft.

10. If pumps are to be used, give size and type 1" discharge - submersible.

Give horsepower and type of motor or engine to be used 1 h.p. submersible... electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well approximately 800 feet east of Humbug Creek.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S.	4 W.	11	SW 1/4 SE 1/4	10

(If more space required, attach separate sheet)

Character of soil granite, sand, and loam.

Kind of crops raised pasture.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....500.00.....
- 15. Construction work will begin on or before one year from date of priority.....
- 16. Construction work will be completed on or before October 1, 1970.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1971.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

William H. Pitts
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Corrections.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 11th....., 1969..

WITNESS my hand this 11th..... day of December....., 1968..

RECEIVED
JAN 2 1969
STATE ENGINEER
SALEM OREGON

By Larry W. Jebousek
Larry W. Jebousek
ASSISTANT

CHRIS L. WHEELER
STATE ENGINEER

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 21, 1968

Actual construction work shall begin on or before July 11, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 11th day of July, 1969

Chris L. Wheeler
STATE ENGINEER

Application No. G-4693
Permit No. G-4412

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of November, 1968, at 8 o'clock A. M.

Returned to applicant:

Approved:

July 11, 1969

Recorded in book No. of G 4412
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 100

State Printing

2000