

RECEIVED  
DEC 13 1956  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-442

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Buckner Bros.  
(Name of applicant)  
of Terrebonne, county of Crook,  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Small dry Creek  
(Name of stream)

tributary of Crooked River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 1000 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 858 ft. S and 20 ft. W from the E. 1/4 corner of Section 33, T13S, R14E, W.M.  
(N. or S.) (E. or W.)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4, SE 1/4 of Sec. 33, Twp. 13S, R. 14E, W. M., in the county of Jefferson

5. The Pipe line to be 1/2 miles in length, terminating in the N.W. 1/4, SE 1/4 of Sec. 33, Twp. 13S, R. 14E W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line)  
(Smallest legal subdivision)

6. The name of the well or other works is Buckner Bros #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 having a diameter of 12 inches and an estimated depth of 120 feet. It is estimated that feet of the well will require 100 Steel casing. Depth to water table is estimated 24  
(Give number of wells, tunnels, etc.)  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2600 ft.; size at intake, 6" in.; in size at 1300 ft. from intake 5" in.; size at place of use 5" in.; difference in elevation between intake and place of use, upto 30' ft. Is grade uniform? yes Estimated capacity, 226 sec. ft.

10. If pumps are to be used, give size and type 8" Deep Well turbine

Give horsepower and type of motor or engine to be used 30 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Streams within 1/4 mi dist.

12. Location of area to be irrigated, or place of use Primary Water

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>13S</u>	<u>14E</u>	<u>33</u>	<u>NE 1/4, SE 1/4</u>	<u>40<sup>0</sup></u>
<u>"</u>	<u>"</u>	<u>"</u>	<u>NW 1/4, SE 1/4</u>	<u>40<sup>0</sup></u>
<u>"</u>	<u>"</u>	<u>"</u>	<u>SW 1/4, SE 1/4</u>	<u>20<sup>5</sup></u>
<u>"</u>	<u>"</u>	<u>"</u>	<u>SE 1/4, SE 1/4</u>	<u>12<sup>8</sup></u>
				<u>112<sup>6</sup></u>

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Grain & Hay

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

14. Estimated cost of proposed works, \$ 14,000

15. Construction work will begin on or before Oct. 1, 1956

16. Construction work will be completed on or before Oct. 1, 1957

17. The water will be completely applied to the proposed use on or before Oct. 1, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any appli-  
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the  
applicant. Primary

Buckner Bros.  
By *Orvil Buckner*  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON,  
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before \_\_\_\_\_, 19\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

STATE ENGINEER

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.41 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Buckner #1

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 13, 1956

Actual construction work shall begin on or before February 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 25th day of February, 1957

Lewis A. Stanley

STATE ENGINEER

Application No. G- 526

Permit No. G- 442

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13 day of Dec., 1956, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

February 25, 1957

Recorded in book No. 2 of

Ground Water Permits on page 442

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 5 page 43

State Printing 1974