

RECEIVED  
OCT 30 1956

STATE ENGINEER  
SALEM, OREGON

Permit No. G-643

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Fairview (Name of applicant)

of Fairview, county of Multnomah (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fairview Creek (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is / cubic feet per second or 4500 gallons per minute.

3. The use to which the water is to be applied is Municipal Supply

4. The well or other source is located 108 ft. N. and 36 ft. E. from the S. W. corner of Lot 7, Block 5 in the City of Fairview (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW Quarter of the SW Quarter of Sec. 27, Twp. 1N, R. 3E, W. M., in the county of Multnomah

5. The well is to be connected to the existing municipal water system of the City of Fairview to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City of Fairview, Water Department

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 12 inches and an estimated depth of 1060 feet. It is estimated that 300 feet of the well will require 10" casing. Depth to water table is estimated 320 (Feet)

static level 23'. drawdown at 170 G.P.M. is 25'

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... 6" turbine type pump

Give horsepower and type of motor or engine to be used ..... 40 Horse power --Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... 300' to the nearest stream with well 30' above the stream bed.

12. Location of area to be irrigated, or place of use ..... City of Fairview

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Method of Irrigation
1 N	3 E	27	SW Q. of SW. Q.	Municipal
1 N	3 E	27	NW. Q. of SW. Q.	"
1 N	3 E	27	NE. Q. of SW. Q.	"
1 N	3 E	27	SW. Q. of NW. Q.	"
1 N	3 E	27	SE. Q. of NW. Q.	"
1 N	3 E	28	SE. Q. of SE. Q.	"
1 N	3 E	28	SW. Q. of SE. Q.	"
1 N	3 E	28	NE. Q. of SE. Q.	"
1 N	3 E	28	NW. Q. of SE. Q.	"
1 N	3 E	28	SE. Q. of NE. Q.	"
1 N	3 E	28	SW. Q. of NE. Q.	"

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY-

12. To supply the city of Fairview

in Multnomah county, having a present population of 458

and an estimated population of 1000 to 1965.

14. Estimated cost of proposed works, \$ 12,000.00

15. Construction work will begin on or before March 12, 1956

16. Construction work will be completed on or before March 1957

17. The water will be completely applied to the proposed use on or before May 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The existing water supply and system was installed in 1927.

*City of Fairview  
by Chris L. Wheeler, Recorder*

Remarks: The well for the existing system is located on tax lot 50 within the boundrys of the City of Fairview.

Specifications are:

well-10" Pump-4" turbine

depth-110' H.P.-10

static level-60' Motor-electric

draw down- 20'

This well is producing 100 G.P.M.

The average daily consumption is 35,000 gallons per day.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application; together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 14, 19 57.

WITNESS my hand this 14th day of January, 19 57.

By  
FEB 2 1957  
STATE ENGINEER  
SALEM, OREGON

LEWIS A. STANLEY

STATE ENGINEER

*Chris L. Wheeler*  
Chris L. Wheeler, Assistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from City of Fairview Well

The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

December 19, 1956 for 0.11 c.f.s.

The priority date of this permit is February 7, 1957 for 0.89 c.f.s.

Actual construction work shall begin on or before February 25, 1958 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 25th day of February, 1957

Lewis A. Stanley

STATE ENGINEER

Application No. G-529

Permit No. G-448

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of December, 1956, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

February 25, 1957

Recorded in book No. 2 of

Ground Water Permits on page 443

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 3 page 24