

Permit No. G- G 4448

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

WEYERHAEUSER COMPANY, a Washington corporation
(Name of applicant)
of Box C, Tacoma, Washington 98401, county of Pierce,
(Postoffice Address)
state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

January 1900 State of Washington

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Wild Horse Creek
(Name of stream)

tributary of Lost River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or * _____ gallons per minute. ~~6 inch well 50 gpm~~
12 inch well 900 gpm

3. The use to which the water is to be applied is _____
~~6 inch well domestic water supply~~, 12 inch well irrigation.

4. The well or other source is located 627 ft. S and 618 ft. W from the E $\frac{1}{4}$ corner of Section 7, Township 38 South, Range 11 East of W. M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

~~Domestic well is 135 feet S 65° W of 16" well described above~~
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 7, Twp. 38S, R. 11E,
W. M., in the county of Klamath

5. The Main pipeline 6" Lateral lines 3" to be 7,540 ft. ~~xxxxx~~
(Canal or pipe line)

in length, terminating in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ and NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 7, Twp. 38S,
(Smallest legal subdivision)
R. 11E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ~~2 wells~~ A Well having a
(Give number of wells, tunnels, etc.)
diameter of ~~6 inches~~ and 16 inches and an estimated depth of ~~275 ft.~~ and 425 ft., respectively,
feet of the well will require _____ casing. Depth to water table is estimated 155
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4448

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 15,448 ft.; size at intake, 6" in.; in size at 528 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, 2 sec. ft.

10. If pumps are to be used, give size and type 900 gpm turbine

Give horsepower and type of motor or engine to be used 100 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38S	11E	7	SE $\frac{1}{4}$ NE $\frac{1}{4}$	0.8
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	15.6
				16.4

(If more space required, attach separate sheet)

Character of soil sandy

Kind of crops raised trees

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 24,000
- 15. Construction work will begin on or before November 4, 1968
- 16. Construction work will be completed on or before November 4, 1971
- 17. The water will be completely applied to the proposed use on or before November 4, 1973
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

WEYERHAEUSER COMPANY

By: *W. B. Early*
(Signature of applicant)

Manager, Land Resources

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for
~~Completion~~
Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~March 10th~~, 1969
March 21st 69

WITNESS my hand this ~~8th~~ day of ~~January~~, 1969
21st January 69

RECEIVED
JAN 24 1969
STATE ENGINEER
SALEM, OREGON

RECEIVED
JAN 13 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By: *Larry W. Jebousek*
Larry W. Jebousek
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 18, 1968

Actual construction work shall begin on or before July 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 17th day of July, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G-4728

Permit No. G-4448

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of December, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

July 17, 1969

Recorded in book No. of Ground Water Permits on page 4448

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 14 page 37

State Printing

20