

Permit No. G- G 4462 CERTIFICATE NO. 42187

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Bernard Rogers (Name of applicant)  
of 20250 Williams Hwy Williams county of Josephine  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Williams Ck

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Williams Creek  
(Name of stream)

tributary of Applegate River  
#1-15

2. The amount of water which the applicant intends to apply to beneficial use is 0.7 cubic feet per second or #1-67.3 gallons per minute.  
#2-31.4

3. The use to which the water is to be applied is for irrigation

4. The well or other source is located 200 ft. S and 1300 ft. W from the S.E. corner of NE 1/4, NE 1/4 Sec 34  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4, NE 1/4 of Sec. 34, Twp. 38, R. 5W, W. M., in the county of Josephine

5. The Pipe line (Canal or pipe line) to be 1500 ft. miles in length, terminating in the SE 1/4, NE 1/4 of Sec. 34, Twp. 38 S, R. 5W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 SUMP- Wells having a diameter of #1 100 X 200 inches and an estimated depth of #1-12 feet. It is estimated that #2 50 X 100 feet of the well will require 2-4 casing. Depth to water table is estimated (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4462

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake 2 in.; in size at 250 ft. from intake 1 1/2 in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? Yes Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 1 1/4 hp ~~horse~~ - elec. Direct Connected Centrifugal

Give horsepower and type of motor or engine to be used 1 hp Signature

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S	5 W	34	SE 1/4 of NE 1/4	22

(If more space required, attach separate sheet)

Character of soil ..... Sandy loam  
Kind of crops raised ..... Hay & pasture

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_ in \_\_\_\_\_ county, having a present population of \_\_\_\_\_ and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 550.00
- 15. Construction work will begin on or before Sept 1 1969
- 16. Construction work will be completed on or before Oct 15 1970
- 17. The water will be completely applied to the proposed use on or before Sept 1 1971

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

Bernard Rogers  
(Signature of applicant)

Remarks: Commencing at the Northeast corner of the Southeast Quarter of the Northeast Quarter of Sec. 34 Twp. 38 South Range 5 West of the Willamette Meridian, Josephine Co. Ore. and run thence South 88° 22' West 384 ft <sup>along</sup> the North line of said subdivision to the true point of Beginning thence South 88° 22' West <sup>941.75 ft</sup> to the Northwest corner of said subdivision thence <sup>South</sup> 00° 17' East along the West line of said subdivision 1000.36 ft to the point on the North line of the Varner Lane thence North 88° 01' East along the North line of said lane 799.68 ft to a point on the Westaly line of Williams Hwy thence North 28° 20' East along the Westaly line of said Hwy 893 ft thence N. 126° 00' East along the cord of a curve to left 30 ft thence South 89° 29 1/2' West 298.5 ft thence North 00° 33' West 190.55 ft to the point of beginning

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 17th, 1969

WITNESS my hand this 16th day of January, 1969

**RECEIVED**  
MAR 10 1969  
By  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
Larry W. Jebousek  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two sump wells being 0.15 cfs from sump well No. 1 and 0.07 cfs from sump well No. 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 27, 1968

Actual construction work shall begin on or before July 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 17th day of July, 1969

STATE ENGINEER

Application No. G- 4742  
Permit No. G- G 4462

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 27th day of December,  
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 17, 1969

Recorded in book No. \_\_\_\_\_ of  
Ground Water Permits on page G 4462

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 15 page 100

pc