

40768

Permit No. G- 4489

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Clarry A. Ottosen
(Name of applicant)
of 132 Ottosen Lane, Junction City, Oregon 971448 , county of Lane
(Fusionice Address)
state of Cregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
2) the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Flat Creek
(Name of stream)
tributary of Willamette
2. The amount of water which the applicant intends to apply to beneficial use is375 cubic
jeet per second or gations per minute.
1. Give name of nearest stream to which the well, tunnel or other source of water development is ed
and the state of the second se
4. The well or other source is located 2195 ft. N and 3360 ft. From the SE
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one wel!, each must be described. Use separate sheet if necessary)
being within the Ed of Sec. 30 , Twp. 15 S , R.4.
W. M., in the county ofLane
5. The to be miles
(Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is#4
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist ofl well having a
diameter of inches and an estimated depth of26.6 feet. It is estimated that26.6
feet of the well will require Steel casing. Depth to water table is estimated (Feet)

~ A	TAT	SYSTEM	OP.	יוסוס	TINTE	•
-M	JIAL	DIDITION	UK	PIPE	1.1111111-	

feet; depth of war and feet. (b) At feet; width on feet fall p (c) Length of pipe, intake in.;	les from hed	line)feet; gradefeet; depth of water sand feet.	feet fall p
sand feet. (b) At	les from hed bottom	ndgate: width on top (at water	line)
(b) At m feet; width on feet fall p (c) Length of pipe, intake in.;	bottomper one thou	feet; depth of wat	
feet; width on feet fall p (c) Length of pipe,	bottomper one thou	feet; depth of wat	
(c) Length of pipe,intakein.;	per one thou		er
(c) Length of pipe, in.; s	1	sand feet.	
intake in.;	ft.		
		; size at intake, ir	ı.; in size at
	size at place	of use in.; dif	erence in elevation be
e and place of use,	ft.	Is grade uniform?	Estimated cap
sec. ft.			
10. If pumps are to be used,	give size and	type 3" Centrifugal	
		••••••	•
Give horsepower and type of	f motor or en	gine to be used20_hp	3PH,
		other development work is less	
	••••••	•••••	
	rigated, or p	lace of use	
12. Location of area to be ir Township Range E. or W. of Willamette Meridian	rigated, or p	lace of use	Number Acres To Be Irrigated
Township Range E. or W. of			Number Acres
Township Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0 4.0 30.0
Township Range E. or W. of Willamette Meridian	Section 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0
Township Range E. or W. of Willamette Meridian	Section 30 30	Forty-acre Tract	Number Acres To Be Irrigated 26.0 4.0 30.0

MUNICIPAL SUPPLY—	G 4489
13. To supply the city of	
in county, having a presen	t population of
and an estimated population of in 1	9
ANSWER QUESTIONS 14, 15, 16, 1	7 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$ 3200.00	
15. Construction work will begin on or before8.	
16. Construction work will be completed on or before	
17. The water will be completely applied to the pr	•
18. If the ground water supply is supplemental cation for permit, permit, certificate or adjudicated re	
applicant.	
••	,
x:/	(Signature of applicant)
X	(Signature of applicant)
Remarks:	
	· · · · · · · · · · · · · · · · · · ·
	<u> </u>
,	
STATE OF OREGON,) .	
County of Marion, ss.	
This is to certify that I have examined the forego	oing application, together with the accompanying
naps and data, and return the same forCompletion	ir.and_correction
In order to retain its priority, this application mu	st be returned to the State Engineer, with correc
ions on or before	9.
•	•
WITNESS my hand this30th day ofJ	anuary 10 60
\(\frac{1}{2}\)	, WV.J.
FO E O = -	
FEB 10 1969	CHRIS L WHEELER
STATE ENGLISH	STADE ENGINEER
STATE ENGINEE SALEM. OREGON	Damy (Libruses) ASSISTANT
	Larry W. Jebousek \ Assistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and source of appropriation, or its equivalent in case of rotation with other water users, from ... a well The use to which this water is to be applied is ___irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2\frac{1}{2}.... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is January 17, 1969 Actual construction work shall begin on or before August 25, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.70 Complete application of the water to the proposed use shall be made on or before October 1, 19, 71 WITNESS my hand this 25th day of August ₁₉ 69 STATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon, CHRIS L. WHEELE RGINEER

Drainage Basin No. 2

Ground Water Permits on page 🗷

Recorded in book No.

Approved.

Application No. G-4766

6-4489

Permit No.

APPROPRIATE THE GROUND

WATERS OF THE STATE

OREGON

6.9 at . B. O. o'clock

Returned to applicant