APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

f	Mert		of applicant)	
	Island City. Oregon (Postoffice Address	······································	, county of	Union .
	Oregon			and the second s
	described ground waters of th			
If th	ne applicant is a corporation, g	ive date and pla	ce of incorporation	•
***************		•••••••••••••••••••••••••••••••••••••••	•••••••	
	Give name of nearest stream t			•
ituated	Old Mai	n Channel of	Grande Ronde Riv of stream)	er
		*******************************	tributary of	Snake
	The amount of water which th cond or gallons p		nds to apply to bene	eficial use is4 cubic
3. 7	The use to which the water is t	to he annlied is	Irrigati	on
J	the use to writer the water is t	o de applica is		

	The well or other source is loca			
orner of S	Sec. 4 Well set on	the southwest	, corner of $SE^{\frac{1}{4}}SE$	of Section 4 ,T3S, R
	(If preferat	ole, give distance and b	earing to section corner)	
	(If there is more than one		outhod. The sensuate sheet is	***************************************
	$SE_{\overline{u}}^{1}SE_{\overline{u}}^{1}$			
a gradina di sa			-	1 wp, R. 22
N. M., in t	he county of	<u>Union</u>	•••••	
5 7	'he		to he	miles
	(Canal or pipe	e line)		
n length,	terminating in thes	mallest legal subdivision	of Sec.	, Twp,
2	, W. M., the proposed locati	on being shown	throughout on the a	ccompanying map.
and the second of the				
6. T	The name of the well or other i	vorks is	Taylor Well	***************************************
		ESCRIPTION (OF WORKS	
	f the flow to be utilized is arte en not in use must be described		to be used for the co	ntrol and conservation of the
upply wh		************************		
upply wh				
upply wh		***************************************	***************	<u>. 4864 úd 26 pôn 50 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 </u>
upply wh				
	'he development will consist o	one	(Give number of wells, tunn	
8. 7	The development will consist of			
8. I	1 /4	estimated depth	of256 feet	. It is estimated that

CANAL SYST	3 3 9	each point of ca	nal where materially change	ed in size, stating miles fro
9. (a) G	ive aimensions at e	1		
eadgate. At he	eadgate: width on t	e)	feet; width on botto	
	feet; depth of	water	feet; grade	feet fall per or
housand feet.				
(b) At	mi	es from headg	ate: width on top (at water	line)
	병사, 하다 이 생물, 경기를 다고 있다.		feet; depth of wa	'
	feet fall		•	
y 10,		4	ize at intakeii	ı in size at
			ise in.; diffe	•
0.1			grade uniform?	
		jt. 18	grade unijorm:	Estimatea capacit
10 70				2000
10. If pur	mps are to be usea,	give size and ty	pe turbi	ne 1000 gal

Give hors	epower and type o	f motor or engin	ne to be used	150HP Deisel
e difference in		the stream bed	and the ground surface at	the source of developmen
e difference in	three oqu	arter mile to	l and the ground surface at	the source of developmen
e difference in	three qu	arter mile to	and the ground surface at	the source of developmen
e difference in	three cqu ion of area to be ir	arter mile to	and the ground surface at a old channel of Grande	the source of developments. Ronde River. Number Acres
12. Locat Township N. or S.	ion of area to be ir	arter mile to	and the ground surface at a cold channel of Grande of Grande of use	Number Acres
12. Locat Township N. or S.	ion of area to be ir	rigated, or place	and the ground surface at a cold channel of Grande of $\frac{1}{2}$ of use $\frac{1}{4}$ SE $\frac{1}{4}$	Number Acres To Be Irrigated 37.8 Ac.
12. Locat Township N. or S.	ion of area to be ir	rigated, or place Section 4	and the ground surface at a cold channel of Grande of use $Forty-acre Tract$ $NE\frac{1}{4}SE\frac{1}{4}$ $NW\frac{1}{4}SE\frac{1}{4}$	Number Acres To Be Irrigated 37.8 Ac.
12. Locat Township N. or S.	ion of area to be ir	rigated, or place Section 4	forty-acre Tract NE ¹ / ₄ SE ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	Number Acres To Be Irrigated 37.8 Ac. 36.5
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4	and the ground surface at coold channel of Grande of use $Forty-acre\ Tract$ $NE\frac{1}{4}SE\frac{1}{4}$ $SW\frac{1}{4}SE\frac{1}{4}$ $SE\frac{1}{4}SE\frac{1}{4}$	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 4	and the ground surface at coold channel of Grande of use Forty-acre Tract $NE_{+}^{1}SE_{+}^{1}$ $SW_{+}^{1}SE_{+}^{1}$ $SE_{+}^{1}SE_{+}^{1}$ $NE_{+}^{1}NE_{+}^{1}$	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9	and the ground surface at coold channel of Grande of use Forty-acre Tract $NE_{4}^{1}SE_{4}^{1}$ $SW_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $SE_{4}^{1}SE_{4}^{1}$ $NE_{4}^{1}NE_{4}^{1}$ $NW_{4}^{1}NE_{4}^{1}$	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 40.2
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9 9	I and the ground surface at a cold channel of Grande of use Forty-acre Tract NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) SW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) NE \(\frac{1}{4} \)	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 40.2 40.4
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9 9	I and the ground surface at a cold channel of Grande of use Forty-acre Tract NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) SW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) NE \(\frac{1}{4} \)	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 41.8
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9 9	I and the ground surface at a cold channel of Grande of use Forty-acre Tract NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) SW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) NE \(\frac{1}{4} \)	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 40.2 40.4
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9 9	I and the ground surface at a cold channel of Grande of use Forty-acre Tract NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) SW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) NE \(\frac{1}{4} \)	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 40.2 40.4
12. Locate Township N. or S. 3S	three can ion of area to be ir Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9 9 9	and the ground surface at a cold channel of Grande of use Forty-acre Tract NE + SE + NW + SE + SW + SE + SE + NW + SE + SE + SE + SW + SE + SE	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 40.2 40.4
12. Locate Township N. or S. 3S	three cqu ion of area to be ire Range E. or W. of Willamette Meridian 39E	rigated, or place Section 4 4 9 9 9	I and the ground surface at a cold channel of Grande of use Forty-acre Tract NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) SW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) SE \(\frac{1}{4} \) NW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SW \(\frac{1}{4} \) NE \(\frac{1}{4} \) SE \(\frac{1}{4} \) NE \(\frac{1}{4} \)	Number Acres To Be Irrigated 37.8 Ac. 36.5 42.0 41.8 40.2 40.4

MUNICIPAL SUPPLY— 13. To supply the city of	G 4509
마이 보이 되는 것이 되는 것이 되면 하면 되었다. 	
in county, having a present popula	tion of
and an estimated population of in 19 in 19	
ANSWER QUESTIONS 14, 15, 16, 17 AND 18	IN ALL CASES
14. Estimated cost of proposed works, \$	
.15. Construction work will begin on or before	oleted
16. Construction work will be completed on or before	1971
17. The water will be completely applied to the proposed	
18. If the ground water supply is supplemental to an excation for permit, permit, certificate or adjudicated right to d	cisting water supply, identify any appli-
applicant. Well to be primary right	no existing rights
luZ	(Signature of applicant)
	<u></u>
	······································
그렇게 하는 이 바다를 하는 생활한 사람이 되었다.	
	<u> </u>
STATE OF OREGON,	
County of Marion, ss.	
This is to certify that I have examined the foregoing app	lication, together with the accompanying
maps and data, and return the same forcompletion and .co	rrection
	• •
In order to retain its priority, this application must be ret	urned to the State Engineer, with correc-
tions on or beforeMay 21st, 1969	
tions on or bejore ray 215t	•
WITNESS my hand this 21st day of March	, 19.69
DECEITE DACHRIS.L.	WHEELER SPATE ENGINEER
MAR 2 6 1969	STATE ENGINEER
	y W. Jebousek Assistant
	y w. geoodsex

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is simited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is irrigation If for irrigation, this appropriation shall be limited to ...1/80...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is March 12, 1909...... Actual construction work shall begin on or before November 24, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971...... Complete application of the water to the proposed use shall be made on or before October 1, 19..... 1969 WITNESS my hand this 24th day of November STATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon. STATE ENGINEER APPROPRIATE THE GROUNI STATE November 24, 1909 Ground Water Permits on page CHRIS L. WHEELER OREGON WATERS OF THE 69, at 10,30. o'clock Recorded in book No. on the 12-41.. day of applicant. Drainage Basin No.

Returned to

Application No. G-781

Permit No.