STATE ENGINEER SALEM OREGON

Permit No. G- G 4511

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

| I, | , C. Dualey Pal | (Name of applicant) |
|---|--|---|
| of | Rt. 1 Box 145 Harrisburg | 971446 , county of Linn |
| state of followin | ng described ground waters of the state | do hereby make application for a permit to appropriate the of Oregon, SUBJECT TO EXISTING RIGHTS: |
| If | f the applicant is a corporation, give dat | e and place of incorporation |
| 1. | . Give name of nearest stream to whic | h the well, tunnel or other source of water development is |
| situated | Muddy Ck. Man made] | Lake Borrow pit for (Name of stream) |
| *************************************** | Interstate #5 | tributary of East Muddy Ck. |
| | | icant intends to apply to beneficial use is 1/80 cubic rute. Increase to maximum 1.70 cfs |
| 3. | . The use to which the water is to be a | pplied isIrrigation |
| 4. | . The well or other source is located! ofSec. 33 T15 R | 180 ft. N and 1000 ft. E from the SM. (N. or S.) 3-W (Section or subdivision) |
| •••••• | *************************************** | (Section or subdivision) |
| | (If there is more than one well, each | n must be described. Use separate sheet if necessary) |
| being wi | | |
| | n the county ofLinn | |
| 5. | The (Canal or pipe line) | to be miles |
| in length | h, terminating in the(Smallest le | of Sec, Twp, |
| | | ng shown throughout on the accompanying map. |
| 6. | The name of the well or other works i | s |
| | DESCRI | PTION OF WORKS |
| | vhen not in use must be described. | e works to be used for the control and conservation of the |
| | | |
| | ₩: | |
| | | (Give number of wells, tunnels, etc.) Adamsh of fact. It is action at all that |
| | | ed depth of feet. It is estimated that |
| | | casing. Depth to water table is estimated |
| | | |

| feet; depth of water feet; grade feet fall per on eet. At mile from headgate: width on top (at water line) feet; width on bottom feet; depth of water fee feet; width on bottom feet; depth of water fee feet fall per one thousand feet. Length of pipe, ft.; size at intake in.; in size at f in.; size at place of use in.; difference in elevation betwee laplace of use, ft. Is grade uniform? Estimated capacity sec. ft. If pumps are to be used, give size and type Contrictugal Estimated capacity sec. ft. If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels and make in elevation between the stream bed and the ground surface at the source of development sec. for such channels and the ground surface at the source of development sec. for such channels and the ground surface at the source of development sec. for such channels and |
|--|
| At mile from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; depth of water feet; depth of pater feet fell per one thousand feet. Length of pipe, ft.; size at intake in.; in size at feet in.; difference in elevation betwee in place of use, ft. Is grade uniform? Estimated capacity sec. ft. If pumps are to be used, give size and type Centrifugal. The horsepower and type of motor or engine to be used length of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels and the ground surface at the source of development when the stream bed and the ground surface at the source of development when the stream bed and the ground surface at the source of development when the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the groun |
| feet; width on bottom feet; depth of water feet; depth of water feet feet; width on bottom feet; depth of water feet fall per, one thousand feet. Length of pipe, fit; size at intake in; in size at fit; size at intake in; difference in elevation betwee in place of use, fit. Is grade uniform? Estimated capacity sec. ft. If pumps are to be used, give size and type contrictingal. The horsepower and type of motor or engine to be used for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the use for the use of the use of the use for the use of the use o |
| feet; width on bottom feet; depth of water feet; depth of water feet feet; width on bottom feet; depth of water feet fall per, one thousand feet. Length of pipe, fit; size at intake in; in size at fit; size at intake in; difference in elevation betwee in place of use, fit. Is grade uniform? Estimated capacity sec. ft. If pumps are to be used, give size and type contrictingal. The horsepower and type of motor or engine to be used for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the use for the horsepower and type of motor or engine to be used for the use for the use of the use of the use for the use of the use o |
| Length of pipe, ft., size at intake in., in size at free in., in size at free in., in., in., in size at free in. |
| in.; size at place of use in.; difference in elevation between the place of use, ft. Is grade uniform? Estimated capacity sec. ft. If pumps are to be used, give size and type Contricugal e horsepower and type of motor or engine to be used lago HP Electric 1 40 HP Electric If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels are more in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the interest in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation of the mile from the elevation of the elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the elevation of t |
| I place of use, |
| Sec. ft. If pumps are to be used, give size and type |
| If pumps are to be used, give size and type |
| e horsepower and type of motor or engine to be used 1 20 HP Electric 1 40 HP Electric If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels and since in elevation between the stream bed and the ground surface at the source of development ship. Location of area to be irrigated, or place of use. Location of area to be irrigated, or place of use. Location of area to be irrigated, or place of use. Ship. E. or W. of Willamette Meridian Section Forty-are Tract Number Acres To Be Irrigated 15 S R 3-W 32 NE 1/4 NE 1/4 10.8 15 7.4 15 S R 3-W 32 SW 1/4 NE 1/4 16 7.7 15 S R 3-W 32 SW 1/4 NE 1/4 26 7.4 15 S R 3-W 32 SE 1/4 NE 1/4 26 7.4 15 S R 3-W 33 SW 1/4 NW 1/4 26 7.4 |
| 1 40 HP Electric If the location of the well, tunnel, or other development work is less than one-fourth mile from stream or stream channel, give the distance to the nearest point on each of such channels and ence in elevation between the stream bed and the ground surface at the source of development is a ship. Location of area to be irrigated, or place of use. Location of area to be irrigated, or place of use. Ship. Enance Forty-acre Tract Number Acres To Be Irrigated 15 S R 3-W 32 NE 1/4 NE 1/4 10.8 — 15 S R 3-W 32 SW 1/4 NE 1/4 32.8 — 15.6 — 7.6 15 S R 3-W 32 SE 1/4 NE 1/4 32.8 — 15.6 — 7.6 15 S R 3-W 33 SW 1/4 NW 1/4 26 — |
| 1 40 HP Electric If the location of the well, tunnel, or other development work is less than one-fourth mile from stream or stream channel, give the distance to the nearest point on each of such channels and ence in elevation between the stream bed and the ground surface at the source of development is a ship. Location of area to be irrigated, or place of use. Location of area to be irrigated, or place of use. Ship. Enance Forty-acre Tract Number Acres To Be Irrigated 15 S R 3-W 32 NE 1/4 NE 1/4 10.8 — 15 S R 3-W 32 SW 1/4 NE 1/4 32.8 — 15.6 — 7.6 15 S R 3-W 32 SE 1/4 NE 1/4 32.8 — 15.6 — 7.6 15 S R 3-W 33 SW 1/4 NW 1/4 26 — |
| If the location of the well, tunnel, or other development work is less than one-fourth mile from stream or stream channel, give the distance to the nearest point on each of such channels and since in elevation between the stream bed and the ground surface at the source of development of area to be irrigated, or place of use Location of area to be irrigated, or place of use Ship Rance Forty-acre Tract Number Acres To Be Irrigated 15 S R 3-W 32 NE 1/4 NE 1/4 10.8 15 S R 3-W 32 SW 1/4 NE 1/4 32.8 - 15.6 15 S R 3-W 33 SW 1/4 NW 1/4 26 - |
| Location of area to be irrigated, or place of use Ship Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 15 S R 3-W 32 NE 1/h NE 1/h 32-8 - 15-5 15 S R 3-W 32 SE 1/h NE 1/h 32-8 - 15-5 15 S R 3-W 33 SW 1/h NW 1/4 26 |
| Location of area to be irrigated, or place of use Ship Range E. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 15 S R 3-W 32 NE 1/h NE 1/h 32-8 - 15-5 15 S R 3-W 32 SE 1/h NE 1/h 32-8 - 15-5 15 S R 3-W 33 SW 1/h NW 1/4 26 |
| Location of area to be irrigated, or place of use Ship Rance Forty-acre Tract Number Acres To Be Irrigated Section Section Section Forty-acre Tract Number Acres To Be Irrigated Section Forty-acre Tract Number Acres To Be Irrigated Section Section Section Section Section Section Section Forty-acre Tract Number Acres To Be Irrigated Section Forty-acre Tract Number Acres To Be Irrigated Section Section |
| Ship Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres 15 S R 3-W 32 NE 1/h NE 1/h NE 1/h 10.8 15 S R 3-W 32 SW 1/h NE 1/h 16-7-7/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 33 SW 1/h NW 1/h NW 1/h 26-7 |
| Ship Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres 15 S R 3-W 32 NE 1/h NE 1/h NE 1/h 10.8 15 S R 3-W 32 SW 1/h NE 1/h 16-7-7/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 33 SW 1/h NW 1/h NW 1/h 26-7 |
| Ship Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres 15 S R 3-W 32 NE 1/h NE 1/h NE 1/h 10.8 15 S R 3-W 32 SW 1/h NE 1/h 16-7-7/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 33 SW 1/h NW 1/h NW 1/h 26-7 |
| Ship Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres 15 S R 3-W 32 NE 1/h NE 1/h NE 1/h 10.8 15 S R 3-W 32 SW 1/h NE 1/h 16-7-7/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 33 SW 1/h NW 1/h NW 1/h 26-7 |
| Ship Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres 15 S R 3-W 32 NE 1/h NE 1/h NE 1/h 10.8 15 S R 3-W 32 SW 1/h NE 1/h 16-7-7/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 32 SE 1/h NE 1/h 32-8-15/6 15 S R 3-W 33 SW 1/h NW 1/h NW 1/h 26-7 |
| Section Forty-acre Tract Number Acres |
| 15 S R 3-W 32 SW 1/1, NE 1/1, 16 7.6 15 S R 3-W 32 SE 1/1, NE 1/1, 32-8 15-5 15 S R 3-W 33 SW 1/1, NW 1/1, 26 |
| 15 S R 3-W 32 SE 1/4 NE 1/4 32-8 ← 15/5 15 S R 3-W 33 SW 1/4 NW 1/4 26 ~ |
| 15 S R 3-W 33 SW 1/4 NW 1/4 26 |
| |
| 15 S R 3-W 33 NW 1/4 SW 1/4 26 - |
| |
| 15 # R 3-W 33 NE 1/4 SW 1/4 6 |
| 15 S R 3-W 33 SW 1/h SW 1/h 18 |
| it #1950 to be maintained for supplemental 7 |
| 155 R3-W 37 SWENFE 8.4 |
| 155 R3-W 32 SEL NES 148 |
| |
| 135 |
| , |
| (If more space required, attach separate sheet) |
| |
| (If more space required, attach separate sheet) aracter of soil Silt loam |

STATE ENGINEER SALEM. OREGON

SALEM, OREGON

Larry W. Jebousek

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from ...a..well... The use to which this water is to be applied is .irrigation and supplemental irrigation If for irrigation, this appropriation shall be limited to1/80...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..2\frac{1}{2}..... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the-right-allowed-herein-shall-be-limited-to-any-deficiency-in-the-avaliable-supply-of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 9, 1969 for 0.01 cubic feet per second March 11, 1969 for 1.69 cubic feet per second-Actual construction work shall begin on or before December ... 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.71...... Complete application of the water to the proposed use shall be made on or before October 1, 19.......

WITNESS my hand this ... 10th day of December STATE ENGINEER

STATE ENGINEER

Drainage Basin No. 2. page

Application No. G-... 1 Permit No. G.

ALTROPRIATE THE GROUND WATERS OF THE STATE OREGON

office of the State Engineer at Salem, Oregon This instrument was first received in

on the 911 had day of Clanuary Z

100 o'clock 19 69, at

Returned in applicant

Approved

Macember 10, 1969

Ground Witter Permits on page Recorded in book No.

CHRIS L. MEELER