

RECEIVED  
FEB 17 1969

STATE ENGINEER  
SALEM, OREGON

Permit No. G-4514  
APPLICATION FOR A PERMIT

# To appropriate the Ground Waters of the State of Oregon

I, White City School by Robert G. Work, Supt. of Eagle Point School  
P. O. Box 548 (Name of applicant) District # 9  
of Eagle Point, (Postoffice Address) county of Jackson,  
state of Oregon 97524, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Whetstone Slough (Name of stream)

tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.34 cubic  
feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is irrigation.

4. The well or other source is located 1370 ft. S. and 1205 ft. W. from the NE  
corner of Section 20 (N. or S.) (E. or W.)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 20, Twp. 36 S., R. 1 W.,  
W. M., in the county of Jackson.

5. The pipeline (Canal or pipe line) to be 2400 feet ~~water~~  
in length, terminating in the NE 1/4 NE 1/4 of Sec. 20, Twp. 36 S.,  
R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is School Well #1

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of one well having a  
diameter of 6 inches and an estimated depth of 160 feet. It is estimated that 65  
feet of the well will require steel casing. Depth to water table is estimated 13  
(Kind) (Feet)

if  
3-3-69

CANAL SYSTEM OR PIPE LINE—

G 4514

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2400 ..... ft.; size at intake, 3 ..... in.; in size at ..... ft. from intake ..... in.; size at place of use 3 ..... in.; difference in elevation between intake and place of use, ± 5 ..... ft. Is grade uniform? Yes ..... Estimated capacity, 0.34 ..... sec. ft.

10. If pumps are to be used, give size and type centrifugal -- submersible.

Give horsepower and type of motor or engine to be used 7½ H.P. electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	1 W.	20	NE¼ NE¼	23.9
			NW¼ NE¼	0.7
			SW¼ NE¼	0.3
			SE¼ NE¼	2.1
			Total	27 acres ✓

(If more space required, attach separate sheet)

Character of soil buckshot.

Kind of crops raised lawn and athletic field.

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$...5,000.00.....
- 15. Construction work will begin on or before one year from date of priority.....
- 16. Construction work will be completed on or before October 1, 1970.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1971.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

Remarks: .....

*[Handwritten Signature]*  
(Signature of applicant)  
*1000 sq ft water right District #9*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.34 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; .....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 17, 1969.....

Actual construction work shall begin on or before December 17, 1970..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.....

Complete application of the water to the proposed use shall be made on or before October 1, 1972.....

WITNESS my hand this 17th day of December, 1969.....

*Chris L. Wheeler*  
STATE ENGINEER

Extended to Oct. 1, 1978  
Extended to Oct. 1, 1974  
Extended to Oct. 1, 1978

Application No. G-4788  
Permit No. G-4514

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of February, 1969, at 2 o'clock A. M.

Returned to applicant:

Approved:

December 17, 1969

Recorded in book No. G-4514 of G 4514 Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage 15 page 100

ing

\$