

RECEIVED  
FEB 18 1969

STATE ENGINEER  
SALEM, OREGON

Permit No. G-4518

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, George Fritz (Name of applicant)

of Rt. 2, Box 384, Lebanon, county of Linn (Postoffice Address)

state of Oregon 97355, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Santiam River (Name of stream)

tributary of Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 20 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 640 ft. S and 1280 ft. W from the NE corner of S. 35 (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NE 1/4 of Sec. 35, Twp. 11 S., R. 2 W., W. M., in the county of Linn

5. The main line (Canal or pipe line) to be 200 feet - miles in length, terminating in the NE 1/4 of NE 1/4 of Sec. 35, Twp. 11 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Fritz No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 20 feet. It is estimated that 20 feet of the well will require steel (Kind) casing. Depth to water table is estimated 5.5 (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4518

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 200 ..... ft.; size at intake ..... 2 ..... in.; in size at ..... 200 ..... ft. from intake ..... 200 ..... in.; size at place of use ..... 2 ..... in.; difference in elevation between intake and place of use, ..... 3 ..... ft. Is grade uniform? ..... Yes ..... Estimated capacity, ..... .15 ..... sec. ft.

10. If pumps are to be used, give size and type ..... 1/2 inch centrifugal pump

Give horsepower and type of motor or engine to be used ..... 2 H. P. electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ..... NE 1/4 of NE 1/4, S. 35, T. 11 S., R. 2 W.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	2 W	35	NE 1/4 of NE 1/4	1.4
11 S	2 W	35	NE 1/4 of NE 1/4	0.6
Total				2.0 ✓

(If more space required, attach separate sheet)

Character of soil ..... Newberg Silt Loam

Kind of crops raised ..... Forage

MUNICIPAL SUPPLY—

G 4518

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 500.00
- 15. Construction work will begin on or before October 1968
- 16. Construction work will be completed on or before October 1968
- 17. The water will be completely applied to the proposed use on or before October 1, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*George Thrity*  
(Signature of applicant)

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 28th, 1969.

WITNESS my hand this 26th day of February, 1969.

RECEIVED  
FEB 28 1969  
STATE ENGINEER  
SALEM, OREGON  
By *Larry A. Jebosek*  
LARRY A. JEBOUSEK  
ASSISTANT  
CHRIS L. WHEELER  
STATE ENGINEER

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 18, 1969.....

Actual construction work shall begin on or before December 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.....

Complete application of the water to the proposed use shall be made on or before October 1, 1972.....

WITNESS my hand this 17th day of December, 1969.....

*Chris L. Wheeler*  
STATE ENGINEER

pc

Application No. G- 4793  
Permit No. G- 4518

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 18th day of February,  
1969, at 8 o'clock A. M.

Returned to applicant:

Approved:  
December 17, 1969

Recorded in book No. G-4518 of  
Ground Water Permits on page G 4518

CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 3 page 111

*42050*