

7-25

Permit No. G-4524

APPLICATION FOR A PERMIT

CERTIFICATE NO. 48495

To appropriate the Ground Waters of the State of Oregon

I, Robert B Dorsey (Name of applicant) of RTI Box 39 DAYTON (Postoffice Address), county of Yamhill, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated GRAVEL PIT south of WILLAMETTE RIVER (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 2.18 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is CROP LAND IRRIGATION

4. The well or other source is located ft. and ft. from the corner of (Section or subdivision) N 19° 15' W 3600 FEET FROM THE SOUTHEAST CORNER (If preferable, give distance and bearing to section corner) of Section 27 T4S, R3W, W1M (If there is more than one well, each must be described. Use separate sheet if necessary) being within the S.E. 1/4 of N.E. 1/4 of Sec. 27, Twp. 4S, R. 3W, W. M., in the county of YAMHILL

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Gravel Pit Well (Give number of wells, tunnels, etc.) having a Area of 13 Acres and an estimated depth of 25 feet. It is estimated that 0 feet of the well will require casing. Depth to water table is estimated +6' (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4524

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is located 300 yd south of Willamette River - well is 6 ft of River.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	3W	27	NW 1/4 of SW 1/4	2 1/2
4S	3W	27	SW 1/4 of SW 1/4	3 3/4
"	"	"	SW 1/4 of NE 1/4	13 1/2
"	"	"	SE 1/4 of NE 1/4	35.9
"	"	"	NW 1/4 of SE 1/4	26 1/2
"	"	"	SW 1/4 of SE 1/4	6 1/2
"	"	"	NE 1/4 of SE 1/4	35 1/2
"	"	"	SE 1/4 of SE 1/4	11 1/2
4S	3W	26	SW 1/4 of NW 1/4	3 1/2
"	"	"	NW 1/4 of SW 1/4	3 1/2
"	"	"	SW 1/4 of SW 1/4	1 1/2
4S	3W	27	NE 1/4 of SW 1/4	15 1/2
4S	3W	27	SE 1/4 of SW 1/4	19 1/2

440 ac supply
GR-2573

Character of soil
Kind of crops raised

174.2

MUNICIPAL SUPPLY—

G 4524

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before Completed
- 17. The water will be completely applied to the proposed use on or before Oct 1, 1972
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 44² Ac Suppl to GR-2573

Robert B. Bonsey
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..June 16th....., 19..69.

WITNESS my hand this14th. day ofApril....., 19..69.

RECEIVED
MAY 23 1969
CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
LARRY W. JEBOUSEK
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.18 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well (gravel pit)

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 24, 1969

Actual construction work shall begin on or before December 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 17th day of December, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G- 4799
Permit No. G- 452A

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of February,
1969, at 2:35 o'clock P. M.

Returned to applicant:

Approved:

December 17, 1969 of
G-452A
Recorded in book No. G-452A
Ground Water Permits on page G-452A

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 2 page 111

63425