

1 30⁰⁰
RECEIVED
MAR 5 1966
STATE ENGINEER
SALEM, OREGON

Permit No. G-4527
APPLICATION FOR A PERMIT

CERTIFICATE NO. 40690

To Appropriate the Ground Waters of the State of Oregon

I, Regional Park and Recreation Agency, acting for Marion County
(Name of applicant)
of 1460 20th Street S. E., Salem, Oregon, county of Marion,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River
(Name of stream)
tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is Public Park Purposes 35 gpm &
irrig 115 gpm

4. The well or other source is located 1.100 ft North and 5.1 ft East from the S. W.
(N. or S.) (E. or W.)
corner of Section 28, T. 6 S., R 3 W., W. M., or North 3° 05' East 1101.6 ft.
(Section or subdivision)
from the southwest corner of section 28, township 6 South Range 3 West,
(If preferable, give distance and bearing to section corner)
Willamette Meridian Marion County, Oregon
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the S. W. $\frac{1}{4}$ of the S. W. $\frac{1}{4}$ of Sec. 28, Twp. 6 S., R. 3 W.,
W. M., in the county of Marion, Oregon

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Spongs Landing Park Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 10" inches and an estimated depth of 75 ft. feet. It is estimated that 70
feet of the well will require welded steel casing. Depth to water table is estimated 18
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4527

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1-1 H.P. Submersible for drinking and comfort station. 1-15 H.P. submersible for irrigation.

Give horsepower and type of motor or engine to be used as above

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
65	3W	28	SW ¹ / ₄ SW ¹ / ₄	8 ² Ac & park
"	"	29	SE ¹ / ₄ SE ¹ / ₄	1 ⁵ Ac & park
"	"	28	NW ¹ / ₄ SW ¹ / ₄	5 ⁸ Ac & Park
"	"	29	NE ¹ / ₄ SE ¹ / ₄	2 ⁵ Ac & Park
				18 Ac

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

G 4527

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4,000
- 15. Construction work will begin on or before January 1, 1969
- 16. Construction work will be completed on or before July 1, 1969
- 17. The water will be completely applied to the proposed use on or before October 1, 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Charles W. Gale
(Signature of applicant)

Remarks: *Robinson, West & Miller drilled in Feb. 1969*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same forcorrection.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 14th, 19..69..

WITNESS my hand this14th.... day ofMarch....., 1969....

RECEIVED
MAY 19 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Larry W. Jebousek*
LARRY W. JEBOUSEK
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.28 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is public park and irrigation, being 0.23 cfs for irrigation and 0.50 cfs for park.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 5, 1969 up:

Actual construction work shall begin on or before December 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 17th day of December, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. G-4802
Permit No. G-4527

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of March 1969, at 9:55 o'clock A. M.

Returned to applicant:

Approved:

December 17, 1969

Recorded in book No. G-4527 of

Ground Water Permits on page G-4527

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 111

State Printing

30.00