

Permit No. G- 4532

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, B&B Farms Inc.  
(Name of applicant)  
of 2470 River Bend Rd., county of Polk  
(Postoffice Address)  
state of Oregon 97304, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

Jan. 1962 Salem Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River  
(Name of stream)

tributary of \_\_\_\_\_

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 500 ft. N and 210 ft. E from the SW corner of ~~\_\_\_\_\_ southwest corner of the lot~~ SE 1/4 NW 1/4 Section 10  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the ~~XXXX~~ SE 1/4 NW 1/4 of Sec. 10, Twp. 7, R. 3, W. M., in the county of Polk

5. The portable to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_,  
(Smallest legal subdivision)

R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is \_\_\_\_\_

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 having a  
(Give number of wells, tunnels, etc.)  
diameter of 12 inches and an estimated depth of 150 feet. It is estimated that  
feet of the well will require \_\_\_\_\_ casing. Depth to water table is estimated 27  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4532

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 20 h.p. 1750 r.p.m. 1\*1001  
 m-4 24 stage bowl assy. bowl L-1155 imp. m1992 XXX 7 5/8" diam

Give horsepower and type of motor or engine to be used 20 h.p.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7S	3W	10	SW 1/4 NW 1/4	10.2
			se 1/4 NW 1/4	13.1
				23.3

(If more space required, attach separate sheet)

Character of soil sandy loam

Kind of crops raised berries

MUNICIPAL SUPPLY—

G 4532

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before .....
- 16. Construction work will be completed on or before .....
- 17. The water will be completely applied to the proposed use on or before completed .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This filing will replace application GR 3817  
and GR3478 which well has been abandoned.

*[Handwritten Signature]*  
(Signature of applicant)

Remarks: This filing will replace application GR 3817  
cent # GR 3478 which well has been abandoned.

Well drilled for prior owner, have no information  
on well casing.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 19, 1969.

WITNESS my hand this 18th day of March, 1969.

RECEIVED  
APR 28 1969  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By /s/ Larry W. Johnson  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.29 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 10, 1969

Actual construction work shall begin on or before December 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 17th day of December, 1969

*Chris L. Wheeler*

STATE ENGINEER

Application No. G-4808

Permit No. G-4532

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of March, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 17, 1969

Recorded in book No. G-4532 of

Ground Water Permits on page G-4532

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2, page 111

4200