

Permit No. G- 4.550

APPLICATION FOR A PERMIT

CERTIFICATE NO. 38464

To Appropriate the Ground Waters of the State of Oregon

I, Georgia-Pacific Corp.	Springfield Division, Yarnell Plant (Name of applicant)
of P.O. Box 374 Springfic (Postoffice Address)	eld Lane, county of Lane,
state ofOregon following described ground waters of the st	, do hereby make application for a permit to appropriate the tate of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give	date and place of incorporation
Incorporated September 2	22, 1927 in the State of Georgia
1. Give name of nearest stream to w	which the well, tunnel or other source of water development is
situated Mohay	wk River (Name of stream)
	tributary of McKenzie River
2. The amount of water which the a feet per second or gallons per	pplicant intends to apply to beneficial use is cubic minute.
3. The use to which the water is to b	be applied is fire protection for the buildings and
facilities indicated on Exhibit	A hereto.
	d .840 ftN and 1560 ftE from the .SW.
corner of	(Section or subdivision)
(If preferable,	give distance and bearing to section corner)
being within the SE1/4 SW 1/4	of Sec. 17, Twp. 17S, R. 2W,
W. M., in the county of	ane
5. The	to be miles
	of Sec, Twp
R, W. M., the proposed location	being shown throughout on the accompanying map.
6. The name of the well or other wor	rks is . Pond Well
	SCRIPTION OF WORKS
supply when not in use must be described.	n, the works to be used for the control and conservation of the
8. The development will consist of .	1 well having
diameter of	imated depth of140 feet. It is estimated that100
feet of the well will require(Kind)	casing. Depth to water table is estimated
	·

G	1
()	4550

CANAL SYSTEM OR PIPE LINE—

adgate. At hea				
	dgate: width on to	p (at water	· line)	feet; width on botton
***************************************	feet; depth of w	ater	feet; grade	feet fall per on
ousand feet.				
(b) At	mile	es from he	adgate: width on top (at water li	ne)
••••••	feet; width on b	oottom	feet; depth of wate	r fee
ıde	feet fall p	er one thou	usand feet.	
(c) Length	of pipe,	f	t.; size at intakein.;	in size at f
om intake	in.; si	ze at place	of use in.; differe	nce in elevation betwee
ake and place	of use,	ft.	. Is grade uniform?	Estimated capacity
	sec. ft.			
10. If pum	ps are to be used, g	ive size and	d type 3 horsepower subm	ersible electric pur
		•••••		
Give horse	power and type of	motor or e	ngine to be used 3 horsepo	ower submersible
electr	ic pump			
11. If the l	ocation of the well	, tunnel, or	other development work is less t	han one-fourth mile from
			listance to the nearest point on e bed and the ground surface at t	
			y	
				······································
				······································
12. Locatio	on of area to be irr	igated, or p	place of use Mill 20) St.	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Locatio	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond.
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond.
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pood.
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	igated, or p	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres
12. Location	on of area to be irr Range E. or W. of Willamette Meridian	section 17	Forty-acre Tract $E^{\frac{1}{2}} SW^{\frac{1}{4}} SW^{\frac{1}{4}}; W^{\frac{1}{2}} SE^{\frac{1}{4}}$	• W. of pond. Number Acres

13. To supply the city of	G 4550
	a present population of
and an estimated population of	
ANSWER QUESTIONS 14, 1	15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$	•
15. Construction work will begin on or be	
	on or before June 1, 1969
	to the proposed use on or beforeJune 15, 1969
18. If the ground water supply is supple	emental to an existing water supply, identify any app icated right to appropriate water, made or held by t
applicant.	
••	£
	GEORGIA-PACIFIC CORPORATION By: Vice (Signature of applicant) President
	of the old well which was inadequate as it
	d partially cased. This well is no longer
used. New well is to be used to	maintain safe water level in the pond used
for fire protection. Pump is con	trolled by a float switch at the pond to
assure no overflow.	
	,
STATE OF OREGON,	
County of Marion, ss.	
County of Murton,	
This is to certify that I have examined the	ne foregoing application, together with the accompanyi
mans and data and return the same for CFA	pletion
	tion and completion
In order to retain its priority, this applica	tion must be returned to the State Engineer, with corre
tions on or before Cctober 20th November 10th	, 19. .69
November 10th	69
WITNESS my hand this2 0th day of 8th	September 69
our -	
ECEIVED DESENVER	CHRIS L. WHENTER
UCT 10 1969 SEP 4 1969	TATE ENGINEER
TE ENGINEERST TE ENGINEE	D By (YMM/ // Letonesel
LEM. OREGON SALEM. OREGON	Larry W Jebousek Assistant
	· / /

Application No. G-11959

Permit No. G-

PERMIT

County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us
and shall not exceedQ.12 cubic feet per second measured at the point of diversion from the we
or source of appropriation, or its equivalent in case of rotation with other water users, from .a.well
The use to which this water is to be applied is fire protection
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
acre feet per acre for each acre irrigated during the irrigation season of each year;
······································
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesia the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, an shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit isAugust 14, 1969
Actual construction work shall begin on or beforeDecember 10, 1970 and sha
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.7.1
Complete application of the water to the proposed use shall be made on or before October 1, 19.7.2
WITNESS my hand this10th day ofDecember
STATE ENGINEER
of of

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in office of the State Engineer at Salem, Oregon the IAth. day of Argust.

1969., at E.O.D. o'clock A.M.

Returned to applicant:

Becember. 10, 1969

Recorded in book No. C. 4550

Ground Water Permits on page G. 455

Drainage Basin No. 2. page 113.

CHRIS L. WHEELER