CERTIFICATE NO. 42227

Permit No. G- 4567

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, ANTONADELMAN (Name of applicant)
of H.I. B.O.X. I.H.B. GER. VALS OFFE., country of MAPLON,
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated
tributary ofQUDDIN 8
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located
corner of(Section or subdivision)
N 35° E 1940 Arom SW Corner Sect. 35 A
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW/4 / SW/4 of Sec. 35, Twp. 55, R. ZW,
W. M., in the county of
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
······································
8. The development will consist ofhaving a (Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 1220 feet. It is estimated that 220
feet of the well will require

0 4 7	EM OR PIPE LINI			G 4567
			nal where materially change	•
			e)	
••••••	feet; depth of u	vater	feet; grade	feet fall per o
usand feet.				•
(b) At	mil	les from headg	ate: width on top (at water	line)
***************************************	feet; width on i	bottom	feet; depth of wa	ter fe
	feet fall p			
(c) Lengt	th of pipe,	ft.; s	ize at intakein	ı.; in size at
			use in.; diffe	
			grade uniform?	
			grade antijorm:	Estimatea capaci
	-		50 60	T (.
10. If pur	nps are to be usea, g	give size and ty;	oe x 50 hp	lurbine
	~	•••••••••••••••••••••••••••••••••••••••	pump e	lectric
Give hors	epower and type of	motor or engin	re to be used	•••••••••••••••••••••••••••••••••••••••
tural strean	n or stream channel	l, give the dista	er development work is less nce to the nearest point on I and the ground surface at	each of such channels a
tural strean difference ir	i or stream channel i elevation between ion of area to be irr	l, give the dista the stream bed	nce to the nearest point on	each of such channels a the source of developme
tural strean difference ir	or stream channel elevation between	l, give the dista the stream bed	nce to the nearest point on l and the ground surface at	each of such channels a the source of developme
tural stream difference ir 12. Locat	i or stream channel i elevation between ion of area to be irr Range E or W of	the stream bed	nce to the nearest point on l and the ground surface at	each of such channels a the source of developme
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at e of. use	each of such channels a the source of developme
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at e of. use Forty-acre Tract	Number Acres To Be Irrigated
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE 1/4 SE 1/4 SE 1/4 SE 1/4	Number Acres To Be Irrigated 0.5.
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NEYY/SEY/ SEY/SEY/ NWY//SWY/ NEY/SWY/	Number Acres To Be Irrigated 0.5. 1.5.
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4	Number Acres To Be Irrigated 1. 5- 28.8- 29.3-
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4 SE /4 / SW /4	Number Acres To Be Irrigated 1. 5- 28.8- 29.3-
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4	Number Acres To Be Irrigated 0.5. 1.5. 28.8. 29.3. 10.7. 8.2. 0.5.
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4 SE /4 / SW /4	Number Acres To Be Irrigated 1. 5- 28.8- 29.3-
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4 SE /4 / SW /4	Number Acres To Be Irrigated 0.5. 1.5. 28.8. 29.3. 10.7. 8.2. 0.5.
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4 SE /4 / SW /4	Number Acres To Be Irrigated 0.5. 1.5. 28.8. 29.3. 10.7. 8.2. 0.5.
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4 SE /4 / SW /4	Number Acres To Be Irrigated 0.5. 1.5. 28.8. 29.3. 10.7. 8.2. 0.5.
tural stream difference in 12. Locat Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or place Section 34	nce to the nearest point on and the ground surface at soft use Forty-acre Tract NE /4 / SE /4 SE /4 / SE /4 NE /4 / SW /4 SW /4 / SW /4 SW /4 / SW /4 SE /4 / SW /4	Number Acres To Be Irrigated 0.5. 1.5. 28.8. 29.3. 10.7. 8.2. 0.5.

MUNICIPAL SUPPLY—	G 4567
· · · · · · · · · · · · · · · · · · ·	
	aving a present population of
and an estimated population of	in 19
ANSWER QUESTION	NS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed work	ks, \$ × 6,000
15. Construction work will begin on	or before X MARCH 4, 1969
	oleted on or before X. MARCH 31,1969
	oplied to the proposed use on or before× 1969 - 1973
cation for permit, permit, certificate or	supplemental to an existing water supply, identify any app adjudicated right to appropriate water, made or held by t
applicant.	
	anton a delman
Remarks:	
<u></u>	
	·
	······································
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examin	ned the foregoing application, together with the accompanyir
maps and data, and return the same for	
In order to retain its priority, this an	oplication must be returned to the State Engineer, with corre
tions on or before	•
tions on or before	
WITNESS my hand this d	lay of, 19,
	STATE ENGINEER
	By

ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	ed is limited to the amount of water which can be applied to beneficial use	
	its equivalent in case of rotation with other water users, fromAWall	
The use to which this w	pater is to be applied is .irrigation	
If for irrigation, this app	propriation shall be limited to1/80 of one cubic foot per second	
	irrigated and shall be further limited to a diversion of not to exceed .윤출	
acre feet per acre for each acr	re irrigated during the irrigation season of each year;	
	······································	
		•
	as necessary in accordance with good practice and if the flow is artesian reapping and control valve to prevent the waste of ground water.	
The works constructed s	shall include an air line and pressure gauge or an access port for measuring	
The permittee shall inst	vater level elevation in the well at all times. tall and maintain a weir, meter, or other suitable measuring device, and	
snau keep a complete recora	of the amount of ground water withdrawn.	
The priority date of this	s permit is April 22, 1969	
Actual construction wor	rk shall begin on or beforeJanuary 5, 1971 and shall	
thereafter be prosecuted with	reasonable diligence and be completed on or before October 1, 1971	,
Complete application of	the water to the proposed use shall be made on or before October 1, 1972.	
	s5th day ofJanuary, 1970	ř
	elit wol.	5
	STATE ENGINEER	2
	d in the Oregon, of 4567	
OUNI		
No. G. 4850 G. 1. 4567 IRMIT IATE THE GROUND OF THE STATE OREGON	Salem Salem C.	
45 HIT ON	was first reingineer at Solock Proclock Proclock Proclock Proceed with the second process of the second proces	
P. G. 4. P. I. 4. RMIT ATE THE OF THE OREGON	t: ts on ts on	19
	instrument was first rethe State Engineer at S. 2.2. day of A. P. 2.2. day of A. P. I. 3.4. o'clock F. I. 3.4. o'clock F. I. January 5, 1970 rded in book No. CHRIS. L. WHEELE Rage Basin No 2 po	21
Application Permit No. PH APPROPR WATERS OF	trument e State E 2. day [:34. o applice d in boo d in boo e Basin e Basin	8
App. Per.	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the 22 day of April A. S. A. I. 34. o'clock P. M. urned to applicant: January 5, 1970 Recorded in book No. CHRIS. L. WHEELER STATE ENGINEER Drainage Basin No 2 page 1//	*
TO	This instrument was first receive office of the State Engineer at Salem, on the 22 day of April Meturned to applicant: Approved: January 5, 1970 Recorded in book No. Ground Water Permits on page G CHRIS L. WHEELER STATE EN Drainage Basin No. 22 page 1/4	

Ğ