

RECEIVED
JUL 8 1963

CERTIFICATE NO. 44899

STATE ENGINEER
SALEM, OREGON

Permit No. G-1 4580

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, James A. Reese
(Name of applicant)
of Milton-Freewater, county of Umatilla,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Walla Walla River
(Name of stream)
tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 500 gallons per minute. Well #6- 250 GPM Well #7- 250 GPM

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. and ft. from the corner of Well #6- 760' W & 100' S. from N 1/2 Cr. of Sec 34, being within NE 1/4 NW 1/4 of Sec. 34, T. 6N. R35E. Well #7- 645' S. & 505' W. from N 1/2 Cor. of Sec 34, being within the NE 1/4 NW 1/4 of Sec. 34, T. 6N. R35E.
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the of Sec. , Twp. , R. W. M., in the county of Umatilla

5. The to be miles in length, terminating in the of Sec. , Twp. , R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well #6 and Well #7

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells having a diameter of #6- 6" inches and an estimated depth of #7- 335' feet. It is estimated that 40 feet of the well will require steel casing. Depth to water table is estimated 70'

CANAL SYSTEM OR PIPE LINE—

G 4580

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade 10' feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, -36' ft. Is grade uniform? yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Well #7- 15 H P Submersable
Well # 6- 7½ H P Submerseble

Give horsepower and type of motor or engine to be used Well #7 15 HP Electric
Well # 6- 7½ HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
Well is more than ¼ mile from a natural stream or stream channel.

12. Location of area to be irrigated, or place of use See map and Below

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6N	35E	34	NE¼ NW¼	30.0
6N	35E	34	NW¼ NE¼	10.0
			Total	40.0 ✓

(If more space required, attach separate sheet)

Character of soil Rocky
Kind of crops raised Orchard

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 8,000.00
- 15. Construction work will begin on or before January 1, 1969
- 16. Construction work will be completed on or before January 1, 1970
- 17. The water will be completely applied to the proposed use on or before January 1, 1971

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Wells are supplemental to, Permit No.s 1216, E-241 & 26001, all Pleasant View Canal, Permits 12153, 13144 & 3793 all waste water filings, and Permits GR-2967, GR-2971, GR-2966, GR-2968 and GR-2970, all wells.

James J. Reese
(Signature of applicant)

Remarks: _____

Well No. 6

Well No. 7

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 14, 1969.

WITNESS my hand this 13th day of May, 1969.

RECEIVED
JUL 11 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By /s/ Larry W. Jebousek
ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.50..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells, being 0.25 cfs from each of the two wells.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to1/80..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 6, 1969

Actual construction work shall begin on or before February 2, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 2nd day of February, 1970

Chris L. Wheeler
STATE ENGINEER

Application No. G-4865

Permit No. G-4580

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of May, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 2, 1970

Recorded in book No. of

Ground Water Permits on page G-4580

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 65

42150