

RECEIVED
Form D-1-1955
STATE ENGINEER
SALEM, OREGON

Permit No. 46

APPLICATION FOR A PERMIT

To appropriate the Underground Waters of the State of Oregon

I, Anna Mary Robbins
(Name of applicant)
of Rt. 1, Box 151 Vale
(Postoffice), county of Malheur
state of Oregon, do hereby make application for a permit to appropriate the following described underground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Malheur River
(Name of stream)

Malheur River tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is one (1) cubic feet per second, from each well or a total of two (2) cu. ft. per second.

3. The use to which the water is to be applied is irrigation

4. The place where the water is to be pumped or developed is located 285 feet South and 45 feet East of the Northwest Corner of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 17, Twp. 19 South, Range 44 E.W.M. (well #1); 960 feet East and 90 feet South of said Northwest Corner of NW $\frac{1}{4}$ SW $\frac{1}{4}$ for (well #2)
(Give distance and bearing from section corner.)

being within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 17 Twp. 19 S. R. 44 E. W. M. of the county of Malheur

5. The — to be — miles
(Canal or pipe line)
for the conveying of the — of Sec. — Twp. —
(Smallest legal subdivision)

W. M. the proposed location being shown throughout on the accompanying map

6. The name of the well or other works is Robbins #1 and Robbins #2

DESCRIPTION OF WORKS

If the water to be utilized is artesian, the works to be used for the control and conservation of the water must be described.

7. The proposed well consist of two (2) — inches and an estimated depth of 75 feet for each well.

CANAL SYSTEM OR PIPE LINE---

9. (a) Give dimensions at each point of canal where materially changed in size stating name of headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake _____ in.; in size at _____ ft from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type each well to be equipped with a Jacuzzi Turbine pump of 450 gallons per min capacity

Give capacity and type of motor or engine to be used 7½ h.p. Turbine, electric, 450 gallons per minute

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to be the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12 Location of area to be irrigated, or place of use NW¼ of Sec. 17, Twp. 19S. R. 44 E.

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
19 S.	44 E.	17	NE NW¼	38 40 (primary)
19 S.	44 E.	17	SE SW¼ NW¼	37 40 (supplemental)
19 S.	44 E.	17	NW NE¼ NW¼	3 40 (supplemental)
19 S.	44 E.	17	SE SE¼ NW¼	34 40 (primary)
19 S.	44 E.	17	SW SE¼ NW¼	35 40 (supplemental)
19 S.	44 E.	17	NW¼ SW¼	4 (supplemental)

If more space required, state approximate amount

soil _____ sandy loam
 principal crops _____ row crops, hay and grain.
 name of irrigator _____
 county _____

county, having a present population of _____

and population _____ in 19 _____

- 14. Estimated cost of proposed works, \$4,000.00 (\$2,000 for each well)
- 15. Construction work will begin or on before immediately upon permit issuing
- 16. Construction work will be completed on or before September 1, 1955
- 17. The water will be completely applied to the proposed use on or before September 1, 1955



(Signature of applicant)

Clara Mary Hibbs

Remarks: The S $\frac{1}{2}$ NW $\frac{1}{4}$ of Sec. 17, Twp. 19 S., R. 44 E.W.M. is within the boundaries of the Wamsprings Irrigation District but the N $\frac{1}{2}$ NW $\frac{1}{4}$ has no water right. Applicant wishes to appropriate underground water for supplemental irrigation of S $\frac{1}{2}$ NW $\frac{1}{4}$ and primary right for N $\frac{1}{2}$ NW $\frac{1}{4}$. The land is sandy-loam and porous and requires considerable water for productive operation.

STATE OF OREGON,)
 County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with a record of _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.925 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ... No. 1 and Robbins Well No. 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper casing and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be so cased as to prevent the loss of underground water.

The priority date of this permit is July 1, 1955

Actual construction work shall begin on or before November 22, 1955 and shall thereafter be prosecuted with reasonable diligence and be completed on or before ...

Complete application of the water to the proposed use shall be made on or before ...

WITNESS my hand this 22nd day of November, 1955

[Signature]

STATE ENGINEER

672

PERMIT

TO APPROPRIATE THE UNDERGROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the ... day of ... 19... at ... o'clock ... M.

Returned to applicant:

Corrected application received

Approved

Record book No. ... of

Permit No. ...

STATE ENGINEER

Drawings Page No. ... Page 12A

Fee Paid ... 28.50