

RECEIVED
MAY 20 1969

REGISTERED ENGINEER
SALEM OREGON

Permit No. G-4601

APPLICATION FOR A PERMIT

CERTIFICATE NO. 44646

To appropriate the Ground Waters of the State of Oregon

I, Portland Bureau of Parks
(Name of applicant)
of 1107 SW 4th Ave., county of Multnomah,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia Slough
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1100 gallons per minute. (in 3 wells) #2 1000, #1 300, #3 100 gpm

3. The use to which the water is to be applied is 1300 gpm irrigation
100 gpm domestic (domestic use will not exceed 2500 gal. a day.)

4. The well or other source is located _____ ft. (N. or S.) and _____ ft. (E. or W.) from the corner of From Sec. Cor 32/33 Existing #2 12" - 1640 So. 100 west
(Section or subdivision)
#3 Proposed 6" 1650 So. 105' west (Sec. 5-SENE)
#1 Proposed 6" 755' So. 472 west. (Sec. 5-NENE)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the _____ of Sec. 5, Twp. 1 N, R. 1 E, W. M., in the county of Multnomah

5. The _____ to be _____ miles
(Canal or pipe line) 7.21, 2.1 E.
in length, terminating in the _____ of Sec. _____, Twp. 1 N, 2 E.
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 3 wells having a diameter of 12"-6"-6" inches and an estimated depth of 100 feet. It is estimated that 100 feet of the well will require steel casing. Depth to water table is estimated 8'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4601

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Submersible Turbine, 2,100 hp. & 1,5 hp.

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 2 N., R. 1 E.		32 4	SW SE	8.8
T. 1 N., R. 1 E.		32 4	SE SE	33.0
		33	SW SW	17.4
		33	SE SW	2.8
T. 1 N., R. 1 E.		5	NW NE	24.4
		5	NE NE	33.0
		5	SW NE	23.3
		5	SE NE	23.3
		4	NW NW	14.7
			NE NW	7.3
				188.0

(If more space required, attach separate sheet)

Character of soil *Sandy*

Kind of crops raised *Grass, Shrubs & Trees*

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES,

- 14. Estimated cost of proposed works, \$ 40,000
- 15. Construction work will begin on or before when permitt is approved
- 16. Construction work will be completed on or before May 1, 1971
- 17. The water will be completely applied to the proposed use on or before July 1971

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

X Richard S. Hall - Asst. Spt. of Pub.
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for connection and completion
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 29th, 19 69
August 19th 69

WITNESS my hand this 29th day of May, 19 69
19th June 69

RECEIVED JUN 23 1969 STATE ENGINEER SALEM, OREGON

RECEIVED JUN 18 1969 STATE ENGINEER SALEM, OREGON

By Chris L. Wheeler STATE ENGINEER

Larry W. Jebousek ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.35 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from three wells being 0.17 cfs from well No. 1, 1.67 cfs from well No. 2, 0.51 cfs from well No. 3.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 20, 1969

Actual construction work shall begin on or before February 2, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 2nd day of February, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. G- 4986
Permit No. G- 4601

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 20th day of May
1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 2, 1970

Recorded in book No. _____ of
Ground Water Permits on page G 4601

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 3 page 30

34 20