

40807

Permit No. G- **4606**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, RONALD E. JONES (Name of applicant)

of P. O. Box 9098 Brooks, county of Marion,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Labish Ditch which runs into Clagett Ditch which runs into
(Name of stream)
Willamette River tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 2,000 gallons per minute. (1,000 gallons per minute per well)

3. The use to which the water is to be applied is irrigation, supplemental
to 33963

4. The well/or other source is located 250' 1000' north 34 340' east
A. center of Section 31 Tnshp 6^N 9^S Range 2 W (E. or W.)
corner of B. center of Section 31 Tnshp 6 S, Range 2 W
(Section or subdivision)

Well A is in the SW 1/4 of NE 1/4 of Section 31; Well B is in the SE 1/4 of NW 1/4 of Section 31.
(If preferable, give distance and bearing to section corner)

being within the _____ of Sec. _____, Twp. _____, R. _____,
W. M., in the county of Marion

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 120 feet. It is estimated that 120
feet of the well will require iron casing. Depth to water table is estimated 10
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Rotary pumps, Capacity 500 gallons per minute

Give horsepower and type of motor or engine to be used 25 horsepower, electric motors

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Both wells are 50 feet from Labish Ditch. Difference in elevation is 10 feet

*12. Location of area to be irrigated, or place of use West of 99E 4 miles N of Salem, Ore.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	2 W	31		68.7
(Acerage in area NW 1/4 of SE 1/4 Section 31				9.80 acres)
SW 1/4 of NE 1/4 Section 31				18.90 acres)
NE 1/4 of SW 1/4 Section 31				13.70 acres)
SE 1/4 of 1/4 NW 1/4 Section 31				26.30 acres)
TOTAL. . . .				68.70 acres
These wells are not to be used to irrigate specific areas of this land. Either one may at some time be used to irrigate the whole area.				

(If more space required, attach separate sheet)

Character of soil Beaver Dam

Kind of crops raised Onions

MUNICIPAL SUPPLY—

G 4606

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1,200 per well
- 15. Construction work will begin on or before Begun
- 16. Construction work will be completed on or before April 1, 1969
- 17. The water will be completely applied to the proposed use on or before July 1, 1969
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 33963

Ronald E Jones
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~completion~~ corrections

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~May 19th~~ 19 ~~69~~

WITNESS my hand this ~~18th~~ day of ~~March~~, 19 ~~69~~
~~25th~~ April 69
~~21st~~ May 69
15th December 69

CHRIS L. WHEELER
STATE ENGINEER

By *Larry W. Jebousek*
Larry W. Jebousek ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.86 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells, being 0.43 cfs from each well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 12, 1969

Actual construction work shall begin on or before March 16, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 16th day of March, 19 70.

Chris L. Wheeler
STATE ENGINEER

Application No. G- 4814
Permit No. G- 4606

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 12th day of March,
1969, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

March 16, 1970 of
Recorded in book No. _____
Ground Water Permits on page G 4606

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page III

4555