

Permit No. G. 4625

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Glen O. Doud (Name of applicant)
of Rt. Box 61 Elgin 97827, county of Union (Postoffice Address)
(Postoffice Address)
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situatedGordon_Creek(Name of stream)
2. The amount of water which the applicant intends to apply to beneficial use is 1/8th cubic feet per second or gallons per minute.
3. The use to which the water is to be applied isirrigation
4. The well or other source is located 1825 ftSouthand .240 ft
corner of Section 4 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SEM afNEM of Sec. 4, Twp. 1 N , R. 39 E ,
W. M., in the county of
5. The pipeline to be500_ft miles
(Canal or pipe line)
in length, terminating in the SE% of NE% of Sec. 4. Twp. 1 N (Smallest length subdivision)
R39E, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Doud Well
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
supply when not in use must be described.
II. The development will consist of
diameter of
feet of the well will requireSteel casing. Depth to water table is estimated
(Feet)

MAT SVSTE	M OR PIPE LINE		•	
		h point of canal where material	ly changed in size, stating	miles fron
adgate. At he	adgate: width on top	(at water line)	feet; widtl	n on botton
	feet: depth of wat	terfeet; grade	feet 1	fall per on
ousand feet.		, , ,		
-		dan bandanta wideb an tan	(nt mater line)	
		from headgate: width on top (
		ttom feet; de	pth of water	jee
ıde'	feet fall per	r one thousand feet.		
(c) Lengt	h of pipe,900	ft.; size at intake2	in.; in size at	900 f
om intake	2 in.; size	e at place of use2	in.; difference in elevati	on betwee
ake and place	of use,10	ft. Is grade uniform?	uniform Estimate	ed capacit
•••••	sec. ft.			
10. If pur	nps are to be used, giv	ve size and type IMMXXXXX	M.Submesible,35-gal	per-mi
				_
Cina hora		notor or engine to be used3	·	
Give nors	epower and type of n	notor or engine to be used3	.uorse 010 02217-0	
e difference ir	or stream channel, elevation between t	give the distance to the nearest he stream bed and the ground s I stream and fifteen feet	surface at the source of d	evelopmer
natural stream e difference ir 500	n or stream channel, a elevation between the feet from unnamed	give the distance to the nearest he stream bed and the ground :	surface at the source of d	evelopmer
natural stream e difference ir 500	n or stream channel, a elevation between the feet from unnamed	give the distance to the nearest he stream bed and the ground s I stream and fifteen feet	surface at the source of d difference in elevat	ion
12. Locat	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet ground so gated, or place of use	ct Number A	evelopmer
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, i elevation between the feet from unnamed ion of area to be irrigeral Range E. or W. of	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	evelopmer ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	evelopmer ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	evelopmer ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	evelopmer ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A	evelopmer ion
tatural stream e difference in 500 12. Locat Township N. or S.	i or stream channel, a elevation between the feet from unnamed ion of area to be irriging. Range E. or W. of Willamette Meridian	give the distance to the nearest he stream bed and the ground so a stream and fifteen feet gated, or place of use	ct Number A To Be Irri	evelopmer ion

IUNICIPAL SUPPLY—	G 4625
13. To supply the city of	1
county, having a 1	present population of
d an estimated population of	in 19
	16, 17 AND 18 IN ALL CASES
of the second of	
14. Estimated cost of proposed works, \$.\$2	ΩΩΩΩ
15. Construction work will begin on or befo	re June 1968
16. Construction work will be completed on	or beforeJune. 1, 1969
17. The water will be completely applied to	the proposed use on or beforeJune. 1,1969
18 If the ground water supply is supplem	ental to an existing water supply, identify any app
	ated right to appropriate water, made or held by the
plicantalready.has.water.right.foro	ne acre. Piroxit-116 3165
	This Librard (Signature of applicant)
	•
Remarks:	
·	
<u> </u>	
	<u> </u>
CATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanyi
••	
aps and data, and return the same for	
In order to retain its priority, this applicati	on must be returned to the State Engineer, with corre
ons on or before	
ms on or bejore	, 10
• · · · · · · · · · · · · · · · · · · ·	
WITNESS my hand thisday of	, 19
1	·
i i	
	STATE ENGINEER
	•

ASSISTANT

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from A. well...... The use to which this water is to be applied is irrigation If for irrigation, this appropriation shall be limited to ______1/80_____ of one cubic foot per second acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is _____June_9. 1969. thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 197.1........ Complete application of the water to the proposed use shall be made on or before October 1, 19.7.2.... WITNESS my hand this16th... day ofMarch STATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon

pageCHRIS

Ground Water Permits on page

Recorded in book No.

 $\mathbf{4}\mathbf{p}proved$

Drainage Basin No.

Application No. G- 4946

Permit No. G- 4625

APPROPRIATE THE GROUND

JQ

WATERS OF THE STATE

OREGON

QF.

at 10 : 00 o'clock

1969.

to applicant.

Returned

on the 9th day of