

RECEIVED
JUN 19 1969

STATE ENGINEER
SALEM, OREGON

ASSIGNED, See Misc. Rec., Vol. 5 Page 216

Permit No. G-4628

APPLICATION FOR A PERMIT CERTIFICATE NO. 43502

To appropriate the Ground Waters of the State of Oregon

We **X**, United States National Bank of Oregon-Guardian of Edythe M. Cary Estate
(Name of applicant)
of P. O. Box 3168 Portland, Oregon, county of Multnomah
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

Guardianship appointment

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Little Pudding River
(Name of stream)

tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 550 gallons per minute.

3. The use to which the water is to be applied is Irrigation of crops

4. The well or other source is located 25.75' ft. S and 0°25' W from the _____
(N. or S.) (E. or W.)
corner of (Cary Parcel, Marion County) NW 1/4 NE 1/4 of Section 20
(Section or subdivision)

NW corner of Thomas Maisan D.L.C. #68

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the ~~NW 1/4 of NW 1/4 & NW 1/4 of NE 1/4~~ of Sec. 20, Twp. 6S, R. 2W,
~~SE 1/4 of SW 1/4 & SW 1/4 of SE 1/4 & SE 1/4 of SE 1/4~~ 17
W. M., in the county of Marion

5. The Pipe (Canal or pipe line) to be 1/2 miles in length, terminating in the N 1/2 of Sec. 21, Twp. 6S,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Cary-Pugh Irrigation Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 180 feet. It is estimated that 180 feet of the well will require Steel casing. Depth to water table is estimated 25
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4628

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) N/A feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At N/A miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 550 ft.; size at intake 6 in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 50 HP Western Turbine

Give horsepower and type of motor or engine to be used 50 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
more than 1/4 mile removed

12. Location of area to be irrigated, or place of use.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	2 WWM	17	SE 1/4 SW 1/4 SW 1/4 SE 1/4 SE 1/4 NE 1/4 NW 1/4 NE 1/4	.30
6S	2 WWM	17	SW 1/4 SE 1/4	11.5
6S	2 WWM	17	SE 1/4 SE 1/4	0.2
6S	2 WWM	20	NE 1/4 NW 1/4	4.5
6S	2 WWM	20	NW 1/4 NE 1/4	19.5
			TOTAL	36.00

(If more space required, attach separate sheet)

Character of soil Willamette Clay Loam

Kind of crops raised Barley, Potatoes and Oats

MUNICIPAL SUPPLY—

G 4628

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$4,500.00
- 15. Construction work will begin on or before March 1, 1969
- 16. Construction work will be completed on or before May 30, 1969
- 17. The water will be completely applied to the proposed use on or before Sept. 30, 1969 & annually thereafter
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. not supplemental

Remarks:
 (Signature of applicant) Trust Officer
 U. S. National Bank of Oregon-Guardian

STATE OF OREGON, }
 County of Marion, } ss.


This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~completion~~ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~September 3rd~~, 19 ~~69~~
 October 28, 69

WITNESS my hand this ~~3rd~~ day of ~~July~~, 1969
 28th August 69

RECEIVED
 SEP 5 1969
 STATE ENGINEER
 SALEM, OREGON

RECEIVED
 AUG 25 1969
 STATE ENGINEER
 SALEM, OREGON

CHRIS L. WHEELER
 STATE ENGINEER
 By 
 Larry W. Jebousek
 ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 19, 1969

Actual construction work shall begin on or before March 16, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 16th day of March, 1970

Chris L. Wheeler
STATE ENGINEER

Application No. G- 4911
Permit No. G- 4628

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of June,
1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 16, 1970

Recorded in book No. of
Ground Water Permits on page G 4628

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 112

2090
Sheet 457