

4641

Permit No. G-.....

APPLICATION FOR A PERMIT

CERTIFICATE NO. 42955

To Appropriate the Ground Waters of the State of Oregon

I, Joseph B. Wolf
(Name of applicant)
of Rt. 1 Box 393 Woodburn, county of Marion,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Chumpoeg Cr
(Name of stream)

tributary of Willamette R

2. The amount of water which the applicant intends to apply to beneficial use is 1.94 cubic feet per second or 1.94 gallons per minute. Well No 2 - 1.08 540/No 1

3. The use to which the water is to be applied is Irrigation & Suppl. Irrig

#1 S 20° W 370 FT

#2 S 25° E 360 FT

4. The well or other source is located SW 1/4 SW 1/4 ft. SW 1/4 and SW 1/4 ft. SW 1/4 from the NW corner of SW 1/4 SE 1/4 Sec 28
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

#1 SW 1/4 SW 1/4
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the #2 SW 1/4 SE 1/4 of Sec. 28, Twp. 45, R. 2W, W. M., in the county of Marion

5. The Canal or pipe line to be miles in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Wolf Wells No. 1 & 2
No. 1 (GR-763)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of #1 Well having a diameter of 18 inches and an estimated depth of 2150 feet. It is estimated that 21 feet of the well will require steel casing. Depth to water table is estimated 21
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4641

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Well No 2 Turbine 6" disch

#1 Turbine

Give horsepower and type of motor or engine to be used

#2 75 H.P. Elec.

#1 30 H.P. Elec

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number of Acres To be irrigated
45	24	27	SW ¹ / ₄ SW ¹ / ₄	10 ⁰
		28	SE ¹ / ₄ SW ¹ / ₄	12 ⁰
			SW ¹ / ₄ SE ¹ / ₄	21 ⁰
			SE ¹ / ₄ SE ¹ / ₄	25 ⁰
				68 ⁵
			Supp No 1	
		28	NE ¹ / ₄ SW ¹ / ₄	9 ⁰
			NW ¹ / ₄ SW ¹ / ₄	9 ⁰
			SW ¹ / ₄ SW ¹ / ₄	31 ⁵
			SE ¹ / ₄ SW ¹ / ₄	15 ⁰
		29	SE ¹ / ₄ SE ¹ / ₄	22 ⁰
				86 ⁵ 86.5
			Total	135.04

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
 in county, having a present population of
 and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10000
15. Construction work will begin on or before
16. Construction work will be completed on or before Completed
17. The water will be completely applied to the proposed use on or before Oct. 1, 1972
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. yes GR-763

Remarks: Milo Schnieder drilled in June '69
 x Joseph B. Wolt
 (Signature of applicant)

Will cancel cert. 26186 & 26187.
 Will cancel ~~that portion of~~ GR-763.
 lying east of Ore Hwy No 219, remaining
 to the west of Hwy 219 shown on
 map.

Joseph B Wolt

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 1.08 cfs from well No. 1 and 0.86 cfs from well No. 2

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.


The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 3, 1969

Actual construction work shall begin on or before March 16, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 16th day of March, 1970



STATE ENGINEER

Application No. G-4925
Permit No. G-4611

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 31st day of July,
1969, at 9:45 o'clock A. M.

Returned to applicant:

Approved:

March 16, 1970

Recorded in book No. of
Ground Water Permits on page G 4611

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2, page 112

\$3325