

RECEIVED
JUN 3 1969

CERTIFICATE NO. 39250

STATE ENGINEER
SALEM, OREGON

Permit No. G-4650

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, NORMAN BUTLER (Name of applicant)

of Rt. 1 Baker, Oregon, county of Baker (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

NA

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pine Creek (Name of stream)

tributary of Powder River

2. The amount of water which the applicant intends to apply to beneficial use is 2.8 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Supplemental irrigation for agriculture use.

4. The well or other source is located 1732 ft. North and 195 ft. West from the Sec. corner of Sections 19, 20 & 29, 30, T 8 S., R 39 E., W.M., Baker County Oregon. (Section or subdivision)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE4 SE4 of Sec. 19, Twp. 8 S., R. 39 E., W. M., in the county of Baker

5. The Ditch (Canal or pipe line) to be 200 feet miles in length, terminating in the NW4 SW4 of Sec. 19, Twp. 8 S., R. 39, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Baker County Gravel Area.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

NA

8. The development will consist of NA (Give number of wells, tunnels, etc.) having a diameter of NA inches and an estimated depth of NA feet. It is estimated that feet of the well will require NA casing. Depth to water table is estimated 20± (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2.5 feet; width on bottom 1.5 feet; depth of water 1.0 feet; grade feet fall per one thousand feet.

(b) At NA miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, NA ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 750 gal. per. minute

Give horsepower and type of motor or engine to be used 50 horsepower International Diesel

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

NA

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	39 E	20	NW ⁴ SW ⁴ & NE ⁴ SW ⁴	80
7 S	37 E	20	NE⁴SW⁴	80
8 S	39 E	20	NE ⁴ SW ⁴	31.1

lt. 4-3-70 20

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Hay & Grain, pasture

MUNICIPAL SUPPLY—

13. To supply the city of NA
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 5000.00

15. Construction work will begin on or before Done

16. Construction work will be completed on or before _____

17. The water will be completely applied to the proposed use on or before Aug. 1, 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 1913 water right out of Mill and Goodrich Creeks
1910 water right out of Pine Creek

X. Norman Butler
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction
correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 29th, 1969.
March 9th 70

WITNESS my hand this 28th day of October, 1969.
9th January 70

RECEIVED
MAR 9 1970
STATE ENGINEER
SALEM OREGON

RECEIVED
DEC 29 1969
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

By Larry W. Jebousek
Larry W. Jebousek
ASSISTANT

By Wayne J. Overcash
Wayne J. Overcash

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.4 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well (gravel pit)

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 3, 1969

Actual construction work shall begin on or before June 4, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 4th day of June, 1970.

Chris L. Wheeler
STATE ENGINEER

pc

Application No. G- 4895
Permit No. G- 4650

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 3rd day of June,
1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved: June 4, 1970 of
Recorded in book No. _____ of
Ground Water Permits on page G 4650

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 9 page 116

for #2030
Revised 7 20