

5.15.69
23 08

RECEIVED
JUL 16 1969

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 41959

Permit No. G-4662

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, William Goracke
(Name of applicant)
of Route 3, Box 532, Junction City
(Postoffice Address), county of Benton
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

.....no.....

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

.....tributary of.....

2. The amount of water which the applicant intends to apply to beneficial use is 0.61 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1882 ft. N and 1386 ft. W from the center corner of Section 23
(N. or S.) (E. or W.) (Section or subdivision)

.....
(If preferable, give distance and bearing to section corner)

.....
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW¹/₄ NW¹/₄ of Sec. 23, Twp. 14S, R. 5W, W. M., in the county of Benton

5. The portable pipe lines to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

.....
.....
.....

8. The development will consist of one having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 20 feet. It is estimated that all
feet of the well will require steel casing. Depth to water table is estimated 6'-8'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Matching centrifugal

Give horsepower and type of motor or engine to be used 20 hp 3 phase electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
14S	5W	23	NW $\frac{1}{4}$ NW $\frac{1}{4}$	25.0
" "	"	"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	0.4
"	"	"	SE $\frac{1}{4}$ NW $\frac{1}{4}$	0.4
"	"	"	NE $\frac{1}{4}$ NW $\frac{1}{4}$	19.8
" "	"	14	SW $\frac{1}{4}$ SW $\frac{1}{4}$	0.8
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	<u>2.7</u>
			TOTAL	49.1 ✓

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$4,000.....
- 15. Construction work will begin on or beforecomplete.....
- 16. Construction work will be completed on or beforecomplete.....
- 17. The water will be completely applied to the proposed use on or beforesummer 1969.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

✓ *William Mowck*
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for corrections.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 15th, 1969

WITNESS my hand this 15th day of August, 1969

RECEIVED
SEP 18 1969

STATE ENGINEER By *Larry W. Jebousek*
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

Larry W. Jebousek
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.61 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 16, 1969

Actual construction work shall begin on or before June 4, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 4th day of June, 1970

STATE ENGINEER

pc
Application No. G- 4939
Permit No. G- 4662

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was ~~not~~ received in the
office of the State Engineer at Salem, Oregon,
on the 16th day of July,
1969, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

June 4, 1970

Recorded in book No. _____ of _____

Ground Water Permits on page G 4662

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 113

512300