

RECEIVED
AUG 14 1969

STATE ENGINEER
SALEM, OREGON

Permit No. G- 4681

CERTIFICATE NO. 39749

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Mt Vernon
(Name of applicant)
of Mt Vernon Oregon
(Postoffice Address), county of Grant
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Ingle Creek
(Name of stream)

tributary of John Day River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 170 gallons per minute.

3. The use to which the water is to be applied is domestic use
Municipal

4. The well or other source is located 2323 ft. South and 540 ft. East from the N 1/4
(N. or S.) (E. or W.)
corner of Section 27, T 13 S, R 30 E, W 4
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S 1/4 of 16, 17 1/2 of Sec. 28, Twp. 13, R. 30 E,
W. M., in the county of Grant

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Infiltration Gallery System

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of _____ having a
(Give number of wells, tunnels, etc.)
diameter of 4 8 inches and an estimated depth of 22 feet. It is estimated that _____
feet of the well will require _____ casing. Depth to water table is estimated 6
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4681

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *20 horse submersible*
Johnston Submersible - 6 stage #6 DS low capacity

Give horsepower and type of motor or engine to be used
20 horse submersible

X 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

350' to S bank John Day River - River is 7 feet lower
1150' to E bank Beech Creek - Creek is 2 feet lower
70 feet to N.E. bank of Ingle Creek - Creek is 4 feet lower

12. Location of area to be irrigated, or place of use *water net for irrigation*

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T13S	R20E	21	SW ¹ / ₄ NE ¹ / ₄	NONE
"	"	"	NE ¹ / ₄ SW ¹ / ₄	"
"	"	"	NW ¹ / ₄ SE ¹ / ₄	"
"	"	"	SE ¹ / ₄ SW ¹ / ₄	"
"	"	"	SW ¹ / ₄ SE ¹ / ₄	"
T13S	R30E	28	NE ¹ / ₄ NW ¹ / ₄	"
"	"	"	NW ¹ / ₄ NE ¹ / ₄	"
"	"	"	SE ¹ / ₄ NW ¹ / ₄	"
"	"	"	SW ¹ / ₄ NE ¹ / ₄	"
"	"	"	NE ¹ / ₄ SW ¹ / ₄	"
"	"	"	NW ¹ / ₄ SE ¹ / ₄	"

Note: the above description delineates the city limits of the City of Mt. Vernon
 (If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of mt vernon
in Grant county, having a present population of _____
and an estimated population of 440 in 1965

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 23,019.00
- 15. Construction work will begin on or before August - 1966
- 16. Construction work will be completed on or before Dec 13 - 1966
- 17. The water will be completely applied to the proposed use on or before Dec 13, 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

X City of Mt. Vernon
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 20th, 1969.

WITNESS my hand this 20th day of August, 1969

RECEIVED
SEP 5 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Larry W. Jebousek
LARRY W. JEBOUSEK
ASSISTANT

STATE OF OREGON,
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well (infiltration gallery)

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year; the appropriation of water shall be limited only to the extent that it does not impair or substantially interfere with existing surface water rights of others.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 14, 1969

Actual construction work shall begin on or before June 4, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 4th day of June, 1970

Chris L. Wheeler
STATE ENGINEER

Application No. G-4961
Permit No. G-4681

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of August, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved: June 4, 1970

Recorded in book No. _____ of G 4681
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 6 page 39

A 25-00