

RECEIVED  
OCT 10 1969

STATE ENGINEER  
SALEM, OREGON

Part CANCELLED  
By Ord 049 P 41

40824 68442

Permit No. G-4694

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, M. KENNETH HOSLER (Name of applicant)

of RTE 3 Box 310 SHERWOOD, county of WASHINGTON, state of OREGON

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated CEDAR CREEK (Name of stream)

tributary of TUALATIN RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.22 cubic feet per second or 100 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 360 ft. N and 725 ft. W from the corner of CENTER QUARTER SECTION CORNER OF SECTION 31 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SOUTHEAST QUARTER OF NORTH WEST QUARTER of Sec. 31, Twp. 2S, R. 1W, W. M., in the county of WASHINGTON

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 240 feet. It is estimated that feet of the well will require STEEL (Kind) casing. Depth to water table is estimated 240 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T2S	R1W	31	SW <sup>2.0</sup> <del>4</del> ACRES N.W. <sup>1.0</sup> <del>4</del> ACRES	3.0
			SE 5.3 ACRES NE. 3.3 ACRES	5.6
			SW 1/4 NW 1/4	3.0
			SE 1/4 NW 1/4	8.6
			Hy 11/18/69	11.6

(If more space required, attach separate sheet)

Character of soil ..... FRIABLE CLAY

Kind of crops raised ..... FRUIT & NUT TREES & SHRUBS

13. To supply the city of .....  
 in ..... county, having a present population of .....  
 and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ ..... 2,500 .....
- 15. Construction work will begin on or before ..... OCT. 10, 1969 .....
- 16. Construction work will be completed on or before ..... OCT. 16, 1969 .....
- 17. The water will be completely applied to the proposed use on or before ..... JUNE 1970 .....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*M. Kenneth Gosler*  
 (Signature of applicant)

Remarks: .....

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 22nd ..... 1969....

WITNESS my hand this 22nd day of October ..... 1969....

**RECEIVED**  
 NOV 7 1969  
 STATE ENGINEER  
 SALEM, OREGON

CHRIS L. WHEELER  
 STATE ENGINEER

*Larry W. Jebousek*  
 ASSISTANT

Larry W. Jebousek

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 10, 1969

Actual construction work shall begin on or before June 4, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 4th day of June, 1970

*Chris L. Wheeler*

STATE ENGINEER

Application No. G-5015

Permit No. G-4694

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of October, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 4, 1970

Recorded in book No. of

Ground Water Permits on page G 4694

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 114

4702