

RECEIVED
OCT 13 1969
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 42046

Permit No. G- 4695

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, DEAN BEAUCHAMP
(Name of applicant)

of Rt. 2, Box 159, Milton-Freewater, county of Umatilla
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

NOT A CORPORATION

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Mud Creek
(Name of stream)

tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is .89 cubic feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 50 ft. N. and 931 ft. E. from the SW corner of SE $\frac{1}{4}$
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 13, Twp. 6N, R. 34, W. M., in the county of Umatilla

5. The buried main line to be 350 feet in length, terminating in the N of Sec. 24, Twp. 6N, R. 34 E, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Well No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not Artesian

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 260 feet. It is estimated that 200 feet of the well will require steel casing. Depth to water table is estimated 65
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type submersible

Give horsepower and type of motor or engine to be used 25 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

840 feet South and East of South Mud Creek and approximately 100 feet
above creek.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N	34 EWM	24	NW $\frac{1}{4}$ NE $\frac{1}{4}$	28 - C 13083 75 40 33492 primary
6 N	34 EWM	13	SW $\frac{1}{4}$ SE $\frac{1}{4}$	8.20 - C 13083 1.75 20 primary 9.95
6 N	34 EWM	13	SE $\frac{1}{4}$ SE $\frac{1}{4}$	10.07 - C 13083 19.53 20 - primary 29.60
				7955 ✓

(If more space required, attach separate sheet)

Character of soil Ritzville very fine sandy loam

Kind of crops raised Alfalfa, Sugar Beets, Grains and Pasture

MUNICIPAL SUPPLY—

G 4695

13. To supply the city of not a city
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6,000
- 15. Construction work will begin on or before March 15, 1969
- 16. Construction work will be completed on or before August 1, 1969
- 17. The water will be completely applied to the proposed use on or before September 15, 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental to rights from Hudson Bay Ditch Company under certificate

13683, 11.17 acres in SE 1/4 sec 13 T 28 acres in NW 1/4 NE 1/4 Sect 24;

[Handwritten Signature]

(Signature of applicant)

Remarks: And under permit 26499, 7 A.S. in NW 1/4 NE 1/4 sec 24;
also primary supply for 19.53 acres in SE 1/4 SE 1/4 and 1.75 A.S.
in SW 1/4 SE 1/4 sec 13 and 5 acres in NW 1/4 NE 1/4 sec 24

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 29th, 1969.

WITNESS my hand this 27th day of October, 1969.

RECEIVED CHRIS L. WHEELER
 DEC 22 1969 STATE ENGINEER
 STATE ENGINEER *[Signature]* ASSISTANT
 SALEM OREGON Larry W. Jebousek

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 13, 1969

Actual construction work shall begin on or before June 4, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 4th day of June, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. G-5016

Permit No. G-4695

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of October, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 4, 1970

Recorded in book No. of

Ground Water Permits on page G-4695

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 66

State Printing

27.50