

Permit No. G-4721

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Kelton Butler (acting for the City of Paisley, Oregon)
(Name of applicant)
of Paisley, Oregon, county of Lake,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

October 10, 1911

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Chewaucan River
(Name of stream)

tributary of Flows to Abert Lake

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
feet per second or 125 gallons per minute.

3. The use to which the water is to be applied is Municipal Water Supply

4. The well or other source is located 34 ft. North and 52 ft. West from the S. E.
(N. or S.) (E. or W.)
corner of Lot 1 in the W. Y. Miller Addition to the City of Paisley
(Section or subdivision)

Also located N 43° 53' W 512.75 ft. from the South W. C. W.
(If preferable, give distance and bearing to section corner)

1/4 Corner Section 24 W. C. W.
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the S. E. 1/4 of the S. W. 1/4 of Sec. 24, Twp. 33, R. 18 East
W. M., in the county of Lake

5. The Distribution System to be 5.7 miles
(Canal or pipe line)
in length, terminating in the City of Paisley of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City Well #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

Not Artesian

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 6" inches and an estimated depth of 216 feet. It is estimated that 190
feet of the well will require 1" threaded steel casing. Depth to water table is estimated 33
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4721

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used Deep Well Turbine Pump - 15 H.P.
Direct Connected

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ~~Not Applicable~~

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S	18 E	23	SE 1/4	W. G. W.
		24	S 1/2	W. G. W.

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Paisley, Oregon
 in Lake county, having a present population of 320
 and an estimated population of 500 in 19 80.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 112,000
15. Construction work will begin on or before October 1, 1969
16. Construction work will be completed on or before May 1970
17. The water will be completely applied to the proposed use on or before July 1970
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This is the initial development of a municipal system for the City of Paisley.

City of Paisley
 by Kelton E. Butler
 (Signature of applicant) Mayor

Remarks: The City water distribution system will include approximately:

900 ft. of 8" pipe

9,000 ft. of 6" pipe

1,800 ft. of 4" pipe

10,000 ft. of 2" pipe

A 100,000 Gallon Reservoir

and about 120 metered services.

The well is on City owned property.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.28..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 22, 1969

Actual construction work shall begin on or before June 23, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.....

Complete application of the water to the proposed use shall be made on or before October 1, 1972.....

WITNESS my hand this23rd... day of June 1970.....

Chris L. Wheeler

STATE ENGINEER

Application No. G- 5003

Permit No. G- 4721

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22 day of Sept.,
1969, at 1:51 o'clock P. M.

Returned to applicant:

Approved:

June 23, 1970

Recorded in book No. G 4721
Ground Water Permits on page 59

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 13 page 59

425-2