

RECEIVED  
OCT 27 1969

STATE ENGINEER  
SALEM, OREGON

Permit No. G-4730

CERTIFICATE NO. 43053

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Ogel L and Lois M Bloodgett  
(Name of applicant)  
of 16794 Water Gap Road, county of Josephine,  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Williams Creek is only stream running during Summer months  
(Name of stream) tributary of Applegate river

2. The amount of water which the applicant intends to apply to beneficial use is 0.9 cubic feet per second or 40 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 150 ft. N and 555 ft. E from the SW corner of the SW 1/4 quarter of the SE 1/4 quarter of section 22  
(N. or S.) (E. or W.)  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the SW 1/4 of SE 1/4 of Sec. 22, Twp. 38 S, R. 5 W, W. M., in the county of Josephine

5. The pipe line to be 700' miles in length, terminating in the SW 1/4 of SE 1/4 of Sec. 22, Twp. 38 S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Property of Ogel L Bloodgett

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

no

8. The development will consist of one well having a diameter of 6" inches and an estimated depth of 140 feet. It is estimated that 74 1/2' feet of the well will require 6" casing. Depth to water table is estimated 33'  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4730

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 700' ft.; size at intake 1 1/2" in.; in size at ..... ft. from intake ..... in.; size at place of use 1 1/2" in.; difference in elevation between intake and place of use, 20' ft. Is grade uniform? ~~yes~~ Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Submersible - Direct Connected Centrifugal electric

Give horsepower and type of motor or engine to be used 1 1/2 Jacuzzi

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>38.S</u>	<u>5W</u>	<u>22</u>	<u>SW 1/4 SE 1/4</u>	<u>9</u>

(If more space required, attach separate sheet)

Character of soil Granite  
 Kind of crops raised Pasture and garden fruit trees

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1750
- 15. Construction work will begin on or before Oct 1, 1970
- 16. Construction work will be completed on or before Oct 1, 1970
- 17. The water will be completely applied to the proposed use on or before 1972

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

Agel Blodgett Lora M. Blodgett  
(Signature of applicant)

Remarks: Yes the well is drilled and the pump is in. But the electricity isn't hooked up yet and the house isn't finished. When that is done the ground to be irrigated must be cleared of brush and trees. Agel Blodgett is doing most the work alone, in his spare time. When the ranch is finally sold he can work most the time on it.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction and completion \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 6th, 1970

WITNESS my hand this 6th day of November, 1969..

**RECEIVED**  
DEC 9 1969  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By Larry W. Jebousek  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 27, 1969.....

Actual construction work shall begin on or before June 25, 1971..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.....

Extended to Oct. 1 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1972..

WITNESS my hand this 23rd day of June, 1970.....

*Chris L. Wheeler*

STATE ENGINEER

Application No. G-5022  
Permit No. G-4730

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 27th day of October,  
1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 23, 1970

Recorded in book No. of  
Ground Water Permits on page G 4730

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 15 page 101

4730