

45035

**RECEIVED**  
NOV 14 1969  
**STATE ENGINEER**  
**SALEM OREGON**

Permit No. G-4745

CERTIFICATE NO. 44593

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Hatchless Co Inc  
(Name of applicant)  
of PO Box 746  
(Postoffice Address), county of Harney  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

JAN 1, 1960 Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silvies River  
(Name of stream)

tributary of Malheur Lake

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 800 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 1026 ft. N and 55 ft. W from the SE corner of Section 35 Twp 235 R 30 E W M  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the SE 1/4 SE 1/4 of Sec. 35, Twp. 235, R. 30 E W. M., in the county of Harney

5. The Ditches  
(Canal or pipe line) to be about 1 1/2 miles in length, terminating in the NE 1/4 NW 1/4  
(Smallest legal subdivision) of Sec. 1, Twp. 245, R. 30 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Hatchless Co Inc No 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well  
(Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 311 feet. It is estimated that 120 feet of the well will require steel  
(Kind) casing. Depth to water table is estimated 8  
(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type TURBINE Peerless  
6"

Give horsepower and type of motor or engine to be used 30 Hp Electric  
Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use HORNEY Co.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
235	30 E	36	SW 1/4 SW 1/4	40
235	30 E	36	SE 1/4 SW 1/4	40
235	30 E	36	SW 1/4 SE 1/4	40
245	30 E	1	NW 1/4 NW 1/4	40
245	30 E	1	NE 1/4 NW 1/4	40

(If more space required, attach separate sheet)

Character of soil SANDY LOAM  
Kind of crops raised HAY & PASTURE

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 7650
- 15. Construction work will begin on or before Nov 1969
- 16. Construction work will be completed on or before July 1970
- 17. The water will be completely applied to the proposed use on or before July 1972

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Sec 36 South + Middle WARM SPRINGS 1886  
Sec 1 Ben Brown Spring 1910

Deitcher Co Inc  
(Signature of applicant)  
By Richard A. Deitcher U.P.

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 20th, 1970

WITNESS my hand this 20th day of November, 1969

**RECEIVED**  
DEC 3 1969  
STATE ENGINEER WIS L. WHEELER  
SALEM OREGON  
By Larry W. Debousek  
ASSISTANT  
Larry W. Debousek

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.78 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 14, 1969

Actual construction work shall begin on or before July 13, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 13th day of July, 1970

*Chris L. Wheeler*

STATE ENGINEER

Application No. G-5035  
Permit No. G-4745

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of November, 1969, at 8 o'clock A. M.

Returned to applicant:

Approved:

July 13, 1970

Recorded in book No. of G 4745  
Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 12 page 34

A 35 50