

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Prim.	Suppl. Number Acres To Be Irrigated
1S	3W	4	SW $\frac{1}{4}$ NW $\frac{1}{4}$		80
			NW $\frac{1}{4}$ SW $\frac{1}{4}$		30
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	06	25
			SE $\frac{1}{4}$ SW $\frac{1}{4}$		110
		5	SW $\frac{1}{4}$ SE $\frac{1}{4}$		15
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	50	
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	81	26
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	289	92
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	192	
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	41	
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	268	64
			9	NW $\frac{1}{4}$ NE $\frac{1}{4}$	
SW $\frac{1}{4}$ NE $\frac{1}{4}$		48			
NE $\frac{1}{4}$ NW $\frac{1}{4}$		38			
NW $\frac{1}{4}$ NW $\frac{1}{4}$		18			
SW $\frac{1}{4}$ NW $\frac{1}{4}$		41			
SE $\frac{1}{4}$ NW $\frac{1}{4}$		23			
NE $\frac{1}{4}$ SW $\frac{1}{4}$		18			
SE $\frac{1}{4}$ SW $\frac{1}{4}$		8			

(If more space required, use separate sheet)

Character of soil total 940 333 240 333 334

Kind of crops raised

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before

Completed
Lloyd Dwyer

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. Yes - Suppl. to G-4258 & 44527

Lloyd Dwyer
(Signature of applicant)

Remarks: L.D. in earlier files

Milo Schnieder drilled in Sept. of 1968

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.31 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 3

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/30 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 20, 1969

Actual construction work shall begin on or before July 13, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 13th day of July, 1970

STATE ENGINEER

Application No. G-5041

Permit No. G-4751

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20 day of Nov., 1969, at 1:56 o'clock P. M.

Returned to applicant:

Approved:

July 13, 1970

Recorded in book No. G 4751 of

Ground Water Permits on page 2

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 114

47 42 25