

Permit No. G- 4779

CERTIFICATE NO. 40703

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

1, Leonard Eberhart
of Rt Bx 300 Jarest 47.614, county of WH.
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated District #7 Diainage Ditch.
tributary of West Dairy Cree
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is
4. The well or other source is located 520 ft. S and 720 ft. W from the ME
corner of 5.6.5. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the INE 4 NE /4 of Sec. 15 Twp. 1 (4, R. 4 W)
being within the NEA NE of Sec. 15, Twp. 14, R. 4W;  W. M., in the county of Was 1149 to 11
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Well Is Capped And Has A 3" Valve.
8. The development will consist of VICI having a
diameter of
feet of the well will require Steel casing. Depth to water table is estimated (Feet)
Actesian

CANA	T. S	SYSTEM	OR	HIDE	LINE
C1 11 11 1		3 T 13 T 13 T 1	OIL	C 1 F F.	1 1 I V P

					4	feet; width on botton
(b) At miles from headgate: width on top (at water line)  feet; width on bottom  feet fall per one thousand feet.  (c) Length of pipe,  fit; size at intake,  in; in size at fit  stake  in; size at place of use  in; difference in elevation between and place of use,  fit. Is grade uniform?  Sec. ft.  (c) If pumps are to be used, give size and type  Five horsepower and type of motor or engine to be used  The location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and reference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or atteam channel, give the distance to the nearest point on each of such channels and reference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or atteam channel, give the distance to the nearest point on each of such channels and reference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or attendance of such channels and reference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and reference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream.  If the location of area to be irrigated, or place of use  Provide at the source of development work is less than one-fourth mile from a surface at the source of development work is less than one-fourth mile from a surface at the source of such channels and the surface at the source of development work is less than one-fourth mile from a surface at the source of such channels and the surface at the source of su		feet; depth of wi	ater	feet; grad	e ‡	feet fall per one
feet; width on bottom feet; depth of water feet fall per one thousand feet.  (c) Length of pipe, f., ft.; size at intake, in.; in size at fitake in.; in size at fitake in.; in; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacity sec. ft.  (d) If pumps are to be used, give size and type NL: Palatip Required A7 for Stream or stream channel, give the distance to the nearest point on each of such channels and erence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and erence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and erence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and erence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream or stream or stream or stream or stream.  2. Location of area to be irrigated, or place of use	·					
feet fall per one thousand feet.  (c) Length of pipe, ft.; size at intake, in.; in size at fitake in.; in; size at intake, in.; in size at fitake in.; in; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacity sec. ft.  (0. If pumps are to be used, give size and type N. B. Puttip Required At the five horsepower and type of motor or engine to be used  (1. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and elevence in elevation between the stream bed and the ground surface at the source of development in elevation of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  3. Location of area to be irrigated, or place of use  4. A. W. 15 SE /A. NE/A. 9  1. A. W. 15 SE /A. SE /						
takein.; size at place of usein.; difference in elevation between and place of use,ft. Is grade uniform?Estimated capacitysec. ft.  10. If pumps are to be used, give size and type					pth of water	feet,
tacke in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacity sec. ft.  10. If pumps are to be used, give size and type IL Pullip Required At I Dive horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and elevation between the stream bed and the ground surface at the source of development elevation of area to be irrigated, or place of use  22. Location of area to be irrigated, or place of use  23. Location of area to be irrigated, or place of use  24. In I Divided I C I C I Divided I						
and place of use, sec. ft.  9. If pumps are to be used, give size and type Ni Pump Required At Sive horsepower and type of motor or engine to be used  1. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and erence in elevation between the stream bed and the ground surface at the source of development contains a stream of a stream of a stream bed and the ground surface at the source of development stream.  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  3. If I A W 15 SE A NE A SE A SE A SE A SE A SE A SE A						
Sec. ft.  10. If pumps are to be used, give size and type N.E. Pattip. Required At the five horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and reserve in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stream or stream or stream of such channels and reserve in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a stream or stre						
1. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and erence in elevation between the stream bed and the ground surface at the source of development erence in elevation of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  3. In the location of area to be irrigated, or place of use  4. or 6.			ft.	Is grade uniform?	•	Estimated capacity,
1. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels and ference in elevation between the stream bed and the ground surface at the source of development  2. Location of area to be irrigated, or place of use    Angle   Range   R	0. If pur	nps are to be used,			_	
stream or stream channel, give the distance to the nearest point on each of such channels and ierence in elevation between the stream bed and the ground surface at the source of development.  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  3. Or W. of Porty-scre Tract  4. Number Acres  7. DE 1/4 NE/4 1C  1. Number Acres  7. DE 1/4 NE/4 1C  2. DE 1/4	Give hors	epower and type o	f motor or eng	gine to be used	•••••••••••••••••••••••••••••••••••••••	
stream or stream channel, give the distance to the nearest point on each of such channels and ierence in elevation between the stream bed and the ground surface at the source of development.  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  2. Location of area to be irrigated, or place of use  3. Or W. of Porty-scre Tract  4. Number Acres  7. DE 1/4 NE/4 1C  1. Number Acres  7. DE 1/4 NE/4 1C  2. DE 1/4					•••••••••••••••••••••••••••••••••••••••	
1						
IN AW 15 3E 1/4 NE/2 9 IN AW 10 SE 1/4 SE 1/4 8.61  27.61	••••••	ion of area to be ir	•••••	······	·	
IN AW 10 SEYA SEYA 8.61  27.61	2. Locat	ion of area to be in	rigated, or pla	ice of use		Number Acres
27.61	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla	rorty-acre Tra	ct	Number Acres
	2. Locat	Range E. or W. of Willamette Meridian	Section	rorty-acre Tra	NE'	Number Acres
	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C
(If more space required, attach separate sheet)	2. Locat	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C
	•••••	Range E. or W. of Willamette Meridian	rigated, or pla Section	Porty-acre Tra  NE 1/4  SE 1/4	NEK.	Number Acres To Be Irrigated    C

SALEM OPEGON

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and
shall not exceed
source of appropriation, or its equivalent in case of rotation with other water users, from a well
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed22
acre feet per acre for each acre irrigated during the irrigation season of each year;
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is
Actual construction work shall begin on or before
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.7.4
Complete application of the water to the proposed use shall be made on or before October 1, 19.72
WITNESS my hand this 11th day of August 1970
Charles STATE ENGINEER
of of others

B

36. 1 2000

Application No. G-5126

Permit No. G- 4779

PERMIT

TO APPROPRIATE THE GROUNI WATERS OF THE STATE OF OREGON

This instrument was first received

office of the State Engineer at Salem, Or on the 11411 day of March

1970, at CiCC o'clock A. M.

Returned to applicant:

Approved:

August 11, 1970

Recorded in book No. ..

Ground Water Permits on page .....

CHRIS L. WHEELER