

RECEIVED
APR 24 1970
STATE ENGINEER
SALEM OREGON

Permit No. G-4780

42279

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Ivan R. Shields, Recorder for City of Amity
P.O. (Name of applicant)
of City Hall Box 26, Amity, county of Sambill,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

City of Amity, Incorporated 1908

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Salt Creek
(Name of stream)

tributary of Sambill River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is Municipal water supply for City of Amity

4. The well or other source is located 15 ft. S and 210 ft. W from the Iron Pin corner of which is located 2574.66 ft. N. & 13.2 ft. W. from the N.W. corner of the A. J. Comedy P.L.C.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N 2 1/4 NE 1/4 of Sec. 30, Twp. 55, R. 4 N, W. M., in the county of Sambill

5. The Pipe line to be 60 ft miles
(Canal or pipe line)
in length, terminating in the existing line from well #3 of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Well # 4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of a drilled and cased well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 90 feet. It is estimated that 90 feet of the well will require 10" steel casing. Depth to water table is estimated 30
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used *7 1/2 horsepower Turbine deepwell Turbine, 3 phase electric squirrel cage induction motor*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development *about 1/2 mile from Salt Creek*

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
55	5W	24	SE 1/4 SE 1/4	
		25	E 1/2 NE 1/4	
55	4W	19	S 1/2 S 1/2	
		20	S 1/2 NE 1/4	
		20	NE 1/4 SW 1/4	
		20	S 1/2 SW 1/4	
		20	SE 1/4	
		21	SW 1/4	
		21	NW 1/4 SE 1/4	
		21	S 1/2 SE 1/4	
		22	SW 1/4 SW 1/4	
		22	SE 1/4 SE 1/4	

see attached sheet

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

T 55

RAW

23

SW $\frac{1}{4}$ SW $\frac{1}{4}$

26

NW $\frac{1}{4}$ NW $\frac{1}{4}$

27

N $\frac{1}{2}$

28

N $\frac{1}{2}$

29

NE $\frac{1}{4}$

29

N $\frac{1}{2}$ NW $\frac{1}{4}$

30

N $\frac{1}{2}$ N $\frac{1}{2}$

G 4780

13. To supply the city of Amity
in Yamhill county, having a present population of 640
and an estimated population of 700 in 1971.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 75,000.00
- 15. Construction work will begin on or before Oct. 1, 1970
- 16. Construction work will be completed on or before Nov. 1, 1970
- 17. The water will be completely applied to the proposed use on or before Nov. 1, 1973

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. City of Amity well permit 143 Breeding Springs in Sec. 23, T. 5 S. R. 14 W. and Matters Springs in Sec. 25, T. 5 S. R. 14 W.

Ivan P. Shields Recorder city of Amity
(Signature of applicant)

Remarks: This application is for a new well, which has not been drilled and flow and size of pump is only estimated.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right hereby granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 1 well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 24, 1970

Actual construction work shall begin on or before August 11, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 11th day of August, 1970.

Chris L. Wheeler

STATE ENGINEER

Application No. G-5769
Permit No. G-4780

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of April,
1970, at 2:55 o'clock A. M.

Returned to applicant:

Approved:
August 11, 1970

Recorded in book No. _____ of
Ground Water Permits on page G 4780

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 116

2500