

RECEIVED  
APR 22 1969

STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 40174

RECEIVED  
JAN 14 1970  
STATE ENGINEER  
SALEM OREGON

Permit No. G-4792

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Bertha KENAGY (Name of applicant)

of 1398 Nebergall Ln. So. Albany, Oreg. 97321, county of Benton (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1231 ft. N. and 1422 ft. E. from the SW corner of Section 32 (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SW 1/4 of Sec. 32, Twp. 10 S., R. 3 W., W. M., in the county of Benton

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one (1) well having a diameter of 12 inches and an estimated depth of 35 feet. It is estimated that 35 feet of the well will require steel casing. Depth to water table is estimated 10 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....  
 Pacific, centrifugal, 2 inch capacity 168 g.p.m.

Give horsepower and type of motor or engine to be used .....  
 3 phase, 7½ h.p.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	3 W	32	SW¼ SW¼	6.0
10 S	3 W	32	SE¼ SW¼	13.5
10 S	3 W	32	NE¼ SW¼	6.5
10 S	3 W	32	NW¼ SW¼	8.5
10 S	3 W	32	SW¼ NW¼	0.5
total				35.0

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised ..... vegetable, row crop alfalfa

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 490.00
- 15. Construction work will begin on or before ..... 7.1.1968
- 16. Construction work will be completed on or before ..... 7.6.1968
- 17. The water will be completely applied to the proposed use on or before ..... 7.7.1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Registration # GR 1343 Certificate # GR 1299

~~..... GR 1344 ..... GR 1300~~

*Benton Kenagy*  
(Signature of applicant)

Remarks: .....

~~This new well is located 42 feet, North 42 degrees West from well described in Registration # GR 1343, Certificate # GR 1299. Was constructed as a supplement to this old well and if proven adequate, as a replacement for the wells listed above.~~

The area to be irrigated by this well includes all the area for which water was appropriated in Registration # GR 1343. This area has been irrigated each season since 1939. This new well is located 42 feet, North 42 degrees West from well described in Registration # GR 1343.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 6th....., 1970...

WITNESS my hand this 6th..... day of ..... February....., 1970..

**RECEIVED**  
FEB 26 1970  
STATE ENGINEER  
SALEM, OREGON

By *Wayne J. Overcash*  
Wayne J. Overcash ASSISTANT

..... CHRIS L. WHEELER .....  
STATE ENGINEER

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.44 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 14, 1970

Actual construction work shall begin on or before November 12, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 12th day of November, 1970

STATE ENGINEER

Application No. G-5076  
Permit No. G-4792

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of January, 1970, at 2:30 o'clock P. M.

Returned to applicant:

Approved:

November 12, 1970

Recorded in book No. of

Ground Water Permits on page G 4792

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 115

Fee 20.25

PC