

Permit No. G- 4821

19075.

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Elroy F. McDole	
(Name of applicant) of Box 152, Hermiston, Oregon county of Morrow	,
(Postoffice Address)	wiata tha
state of Oregon , do hereby make application for a permit to appropr following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	riate the
If the applicant is a corporation, give date and place of incorporation	
Give name of nearest stream to which the well, tunnel or other source of water develop situated Umatilla River (Name of stream)	oment is
tributary of Columbia River	
2. The amount of water which the applicant intends to apply to beneficial use is	
3. The use to which the water is to be applied is irrigation	•••••••
4. The well or other source is located 2630 ft. N and 1320 ft. W from the corner of Section 33 Twn. 4N Range 27EWM (Section or subdivision)	SE
(If preferable, give distance and bearing to section corner)	••••••
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the	
W. M., in the county of Morrow	
5. The Buried pipeline to be \$ 1	miles
in length, terminating in the center of SE1 of Sec. 33 , Twp.	4N ,
R27E, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is	••
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation supply when not in use must be described.	n of the
8. The development suill consist of	
8. The development will consist of	
feet of the well will requireL. casing. Depth to water table is estimated	

	eadgate: width on top	•	1	, , 000, 00	011 0011011
••••••	feet; depth of wat	er	feet; grade	fe	et fall per one
sand feet.	. ·				
(b) At	må	es from head	gate: width on top (at wo	iter line)	
	feet; width on b	ottom	feet; depth of	water	feet
e	feet fall pe	er one thousa	and feet.		
(c) Leng	th of pipe,	ft.;	size at intake,	in.; in size at	ft
intake	in.; si	ize at place o	f use in.,	; difference in elev	vation between
ce and place	e of use,	ft.	Is grade uniform?	Estin	rated capacity
	sec. ft.				
10. If pu	mps are to be used, g	ive size and t	ype Deep well tur	bine pump (8	column &
			ine to be used75 H		hollow sha
avoc nore	repeater and type of	mover or eng	VIVO 10 00 WOOD		•
		•			
				Numb	
12. Locat	tion of area to be irr	igated, or pla	ice of use	Numb	per Acres
12. Locat	Range E. or W. of Willamette Meridian	igated, or pla	ICE Of USEForty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian 27E 27E	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian 27E 27E	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian 27E 27E	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian 27E 27E	igated, or pla	Forty-acre Tract	Numb To Be	per Acres
12. Locat Township N. or S.	Range E. or W. of Willamette Meridian 27E 27E	igated, or pla Section 33 33	Forty-acre Tract	Numb To Be	per Acres

ASSISTANT

MUNICIPAL SUPPLY—	4 O FOCT
13. To supply the city of	:
in county, having a present	population of
and an estimated population of in 19	
ANSWER QUESTIONS 14, 15, 16, 17	AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$19,000.	20
15. Construction work will begin on or before	· · · · · · · · · · · · · · · · · · ·
16. Construction work will be completed on or befor	
17. The water will be completely applied to the pro-	
18. If the ground water supply is supplemental to ation for permit, permit, certificate or adjudicated rig	o an existing water supply, identify any app ht to appropriate water, made or held by t
applicant.	
	Elroy H Max Jol
· · · · · · · · · · · · · · · · · · ·	(Signature of applicant)
Remarks:	
	······································
·	
,	
······································	
STATE OF OREGON,)	
County of Marion,	
This is to certify that I have examined the foregoing	•
naps and data, and return the same for	
•••••••••••••••••••••••••••••••••••••••	
In order to retain its priority, this application must	be returned to the State Engineer, with corre
ions on or before, 19,	•
WITNESS my hand this day of	10
and the second s	, 17
	STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.88............ qubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a well The use to which this water is to be applied is <u>irrigation</u> or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the completed well shall not exceed 140 feet in depth, nor appropriate water from an aquifer below that depth. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is February 20, 1970..... Actual construction work shall begin on or before January 11, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...72..... Complete application of the water to the proposed use shall be made on or before October 1, 19...73.... WITNESS my hand this11.th.... day of STATE ENGINEER APPROPRIATE THE GROUND This instrument was first received Ground Water Permits on page ${f G}$ Drainage Basin No. ...?... page Permit No. G-... 4821 OF OREGON January 11 o'clock

Application No. G-5112

WATERS OF THE STATE

office of the State Engineer at Salem, Oregon

on the 20.4h. day of 1:00 at.

Returned to applicant:

Recorded in book No.

State Printing

 ϕ_*