

**RECEIVED**  
MAR 3 1971  
STATE ENGINEER  
SALEM, OREGON

CERTIFICATE NO. 42232

Permit No. G- 4843

APPLICATION FOR A PERMIT

# To appropriate the Ground Waters of the State of Oregon

I, Edgar A. Kupillas (Name of applicant)  
2502 Gray Oak Lane S.  
~~XXXXXX XXXXX~~ Salem, county of Marion  
(Postoffice Address)

of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

Not a Corporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Croisan Creek  
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 5/80 cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 3038 ft. N and 225 ft. E from the S<sub>2</sub> corner of Section 5 T8S, R3W, W. M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

One Well

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the ~~SW~~ SW, ~~NE~~ NE, ~~NW~~ NW of Sec. 5, Twp. 8S, R. 3W, W. M., in the county of Marion

5. The No canal or pipeline to be 0 miles in length, terminating in the 0 of Sec. 0, Twp. 0, R. 0, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line)  
(Smallest legal subdivision)

6. The name of the well or other works is R.F. Sneed Well

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of One existing well having a diameter of 8 inches and an estimated depth of 156 feet. It is estimated that 0 feet of the well will require 0 casing. Depth to water table is estimated 142  
(Give number of wells, tunnels, etc.)  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4843

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Submersible, 2 hp

Give horsepower and type of motor or engine to be used electric- 2hp

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Not less than 1/4 mile

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8S.	3W.	5	SW $\frac{1}{4}$ NE $\frac{1}{4}$	2.3
8S.	3W.	5	SE $\frac{1}{4}$ NW $\frac{1}{4}$	.9
8S.	3W.	5	NE $\frac{1}{4}$ SW $\frac{1}{4}$	.5
8S.	3W.	5	NW $\frac{1}{4}$ SE $\frac{1}{4}$	1.3

(If more space required, attach separate sheet)

Character of soil Clay-Loam

Kind of crops raised Pasture grassland/or Xmas trees

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 225.00 for Irrig. pipe and equip.

15. Construction work will begin on or before Install pipe before irrig. season

16. Construction work will be completed on or before June 15, 1971

17. The water will be completely applied to the proposed use on or before June 15, 1971

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

*Edgar C. Lupineas*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 25th, 1971

WITNESS my hand this 25th day of March, 1971

RECEIVED  
MAR 29 1971  
STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER

*Larry W. Jebousek*  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 3, 1971

Actual construction work shall begin on or before May 26, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 26th day of May, 1971

*Chris L. Wheeler*  
STATE ENGINEER

Application No. G-5495  
Permit No. G-4843

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 3rd day of March  
1971, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 26, 1971

Recorded in book No. of  
Ground Water Permits on page G-4843

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 121

*File 2000*