

Permit No. G-4852

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, ROY J. ROHDE D.B.A. ROHDE SAND AND GRAVEL
(Name of applicant)

of P.O. BOX 186 HERMISTON, county of UMATILLA
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated UMATILLA RIVER
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.5 cubic feet per second or 600 gallons per minute.

3. The use to which the water is to be applied is MINING - (washing sand)

4. The well or other source is located 850 ft. S and 350 ft. E from the NW corner of Sec. 27
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 27, Twp. 5 N., R. 28 E., W. M., in the county of UMATILLA

5. The NONE (Canal or pipe line) to be miles in length, terminating in the of Sec. Twp. R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of OPEN PIT (Give number of wells, tunnels, etc.) having a diameter of 50' x 100' inches and an estimated depth of 5-30 feet. It is estimated that 0 17' feet of the well will require casing. Depth to water table is estimated 22 9/3/70
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4852

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2" X 4" centrifugal
 10 hp electric

Give horsepower and type of motor or engine to be used 10 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use sand washer right beside water in pit

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5N	28E	27	NW 1/4 NW 1/4 1 tr. 9/3/70	sand washing

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 2,500.00

15. Construction work will begin on or before already done

16. Construction work will be completed on or before done

17. The water will be completely applied to the proposed use on or before June 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Roy J. Rohde
(Signature of applicant)

Remarks: OUR SAND WASHER IS LOCATED 75' W. of our source of water.

THE WATER IS PUMPED TO THE WASHER AND RETURNS BY GRAVITY TO A SETTLING

POND WHICH IS LOCATED BESIDE THE WATER SOURCE.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.5..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from open pit... well.....

The use to which this water is to be applied is mining (sand washing).....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 17, 1970.....

Actual construction work shall begin on or before July 2, 1972..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.....

Complete application of the water to the proposed use shall be made on or before October 1, 1973.....

WITNESS my hand this ..2nd..... day of July....., 1971.....

STATE ENGINEER

Application No. G-5111
Permit No. G-4852

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17th day of February
1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 2, 1971

Recorded in book No. of
Ground Water Permits on page G-4852

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 66

82700