

Permit No. G-4854

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Earl E. Baldwin & Maola R. Baldwin
(Name of applicant)
of RR 3 Box 238 Hermiston 97838, county of Umatilla
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia River approximately 4 mi North of Well
(Name of stream)
Clear Creek about 3 mi East of Well tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 67.22 cubic feet per second or 67.32 gallons per minute.

3. The use to which the water is to be applied is to Sprinkle alfalfa & Pasture
or - Pasture.

4. The well or other source is located 4260 ft. South and 460 ft. East from the NW
(N. or S.) (E. or W.)
corner of ~~Northwest of the Southeast of the Southeast~~ Section 5
(Section or subdivision)
Twp 4 R. 29 E W M
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of SW 1/4 of Sec. 5, Twp. 4N, R. 29, E.W.M.
W. M., in the county of Umatilla

5. The Portable to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is .

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not artesian -

8. The development will consist of 1 (one) well having a
(Give number of wells, tunnels, etc.)
diameter of 8 for 95 ft - inches and an estimated depth of 200 feet. It is estimated that 95 ft -
6 for 105 ft - feet of the well will require 95 ft of 8 in x 25 lb casing. Depth to water table is estimated 60 ft -
(Kind) (Feet)

affalfa and or Pasture

MUNICIPAL SUPPLY—

G 4854

13. To supply the city of Does not apply -
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 3800.00
15. Construction work will begin on or before Feb. 2, 1970
16. Construction work will be completed on or before Feb. 5, 1970
17. The water will be completely applied to the proposed use on or before Aug 1st 1970
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Water right in the Columbia Irrigation Dist -

Remarks: This water will be used for the
Irrigation water is turned on in the Spring
approximately 15th of March. I will use water
from the Irrigation Co. as long as they have
water as I have to pay \$7.50 an acre for the
water whether I use it or not. After they run
out of water. I will use the well for
the duration of the growing season, also this
well will furnish all of my domestic water.
When Mr. Walchi improved the spring on his
ground above my place, my spring stopped
flowing. This forced me to have a well drilled.
Carl E. Baldwin
(Signature of applicant)

STATE OF OREGON, } ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 12th, 1970.
June 8th 70

WITNESS my hand this 12th day of March, 19 70
7th April 70

RECEIVED
APR 13 1970
STATE ENGINEER
SALEM OREGON

RECEIVED
MAR 20 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER

STATE ENGINEER

By Wayne J. Overcash
Wayne J. Overcash

ASSISTANT

STATE OF OREGON,

County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 24, 1970

Actual construction work shall begin on or before July 2, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 2nd day of July, 1971

STATE ENGINEER

Application No. G-5115
Permit No. G-4854

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 24th day of February,
1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 2, 1971

Recorded in book No.

Ground Water Permits on page G-4854

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 7 page 66