

Permit No. G-.....4855

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon


I, CLINTON C. WARREN
of 2323 HARVESTER DR. MILWAUKIE, county of CLACKAMAS
(FORIOTING AUGUSTS)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated WILLAMETTE RIVER
(Name of stream) tributary of COLUMBIA RIVER
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is AIR CONDITIONING
4. The well or other source is located 1625. ft. No. and 1125 ft. E from the SECT corner of COMMON TO 25, 26, 35, 36 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the NW 4 5w 4 of Sec. 25, Twp. 15, R. 1E
W. M., in the county of CLACKAMAS
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . WELL # 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of ONE WELL having a (Give number of wells, tunnels, etc.)
diameter of8
feet of the well will require 150 FT- 8" casing. Depth to water table is estimated 40 FT
(2 CC t)

CANAL SYSTE	M OR PIPE LII	NE		G 4855	
			canal where materially cl	hanged in size, stating miles fr	om
			1	feet; width on bott	
***************************************	feet; depth of	water	feet; grade	feet fall per	one
housand feet.	•				
(b) At	m	riles from head	lgate: width on top (at u	vater line)	
		14.		of water fe	
	feet fall			,	,
*			•	in.; in size at	ft
				difference in elevation between	-
			•		1
	•	jt. 1	is graae uniform?	Estimated capaci	ity,
•••••	•				
10. If pun	ips are to be used	, give size and t	ype 7" DEEP V	NELL TURBINE	
	·				
Give horse	power and type o	of motor or eng	rine to be used 10 HP	V.H.S. GENERAL EL	••••
Give horse 11. If the natural stream	power and type o	of motor or eng	ther development work is		 om nd
Give horse 11. If the natural stream e difference in	location of the we or stream chann elevation betwee	of motor or eng	tine to be used 10 HP ther development work is tance to the nearest point ed and the ground surface	V.H.5. GENERAL EL	 om n d
Give horse 11. If the natural stream e difference in	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest point ed and the ground surface to the gro	V.H.S. GENERAL EL. s less than one-fourth mile from each of such channels are at the source of developme CORNELL MFG.	 om n d
Give horse 11. If the natural stream e difference in	location of the we or stream chann elevation between	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest poined and the ground surface of use ROOF OF	V.H.5. GENERAL EL. s less than one-fourth mile front on each of such channels ace at the source of developme	oom nd ent
Give horse 11. If the natural stream e difference in 12. Locati Township N or S.	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the disen the stream between the stream betwee	ther development work is tance to the nearest poined and the ground surface of use ROOF OF	V.H.S. GENERAL EL. s less than one-fourth mile from each of such channels are at the source of developme CORUELL MFG. Number Acres To Be Irrigated	oom nd ent
Give horse 11. If the natural stream e difference in 12. Locati Township N. or S.	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest point ed and the ground surface of use ROOF OF Forty-acre Tract	V.H.S. GENERAL EL. s less than one-fourth mile from each of such channels are at the source of developme CORUELL MFG. Number Acres To Be Irrigated	oom nd ent
Give horse 11. If the natural stream e difference in 12. Locati Township N or S.	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest poined and the ground surface of use ROOF OF	S less than one-fourth mile front on each of such channels are at the source of developme CORNELL MFG. Number Acres To Be Irrigated ROOF AREA = .88	oom nd ent
Give horse 11. If the natural stream e difference in 12. Locati Township N. or S.	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest poined and the ground surface of use ROOF OF	S less than one-fourth mile front on each of such channels are at the source of developme CORNELL MFG. Number Acres To Be Irrigated ROOF AREA = .88	oom nd ent
Give horse 11. If the natural stream e difference in 12. Locati Township N. or S.	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest poined and the ground surface of use ROOF OF	S less than one-fourth mile front on each of such channels are at the source of developme CORNELL MFG. Number Acres To Be Irrigated ROOF AREA = .88	oom nd ent
Give horse 11. If the natural stream the difference in the differ	location of the we or stream chann elevation betwee on of area to be-i	of motor or engell, tunnel, or ot el, give the distribution the stream between the stream	ther development work is tance to the nearest poined and the ground surface of use ROOF OF	S less than one-fourth mile front on each of such channels are at the source of developme CORNELL MFG. Number Acres To Be Irrigated ROOF AREA = .88	oom nd ent

(M more space required, attach separate sheet)

Character of soil	***************************************	
•	# 10 No. Coming	
		•
Kind of crops raised.		

IUNICIPAL SUPPLY—	G 4855
13. To supply the city of	
county, having a p	resent population of
d an estimated population of	. in 19
ANSWER QUESTIONS 14, 15.	16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$	
15. Construction work will begin on or before	re MAY 7, 1969
16. Construction work will be completed on	or before DEC 2, 1969
17. The water will be completely applied to	the proposed use on or before JUNE 1, 197
	ental to an existing water supply, identify any app
tion for permit, permit, certificate or adjudica	ted right to appropriate water, made or held by t
pplicant.	
	<u> </u>
	Clinton Colorania (Signature of applicant)
Remarks:	(Signature of applicant)
	Se Se
<u></u>	
	1
TATE OF OREGON, ss.	·
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanyi
aps and data, and return the same for	pletion
apo alla auta, alla returni elle came jer	FR 3.5 T-5 T-5 T-5 T-5 T-5 T-5 T-5 T-5 T-5 T-
	······································
In order to retain its priority, this applicatio	n must be returned to the State Engineer, with corre
ons on or before May 18th	, 1970.
WITNESS my hand thisloth day of	Öarch , 1970
DFCEIWE	
MAP 9 6 1076	CHRIS L. WHEELER STATE ENGINEER
MAR 26 1970	STATE ENGINEER



PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
or source of appropriation, or its equivalent in case of rotation with other water users, from avel1
The use to which this water is to be applied isair_conditioning
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed
acre feet per acre for each acre irrigated during the irrigation season of each year;provided that
use of water for air conditioning in excess of 5,000 gallons per day shall be
subsequent in priority to future beneficial consumptive use unless a two well
system is constructed and all water wasted from the system recharged to the same
.ground_water_reservoir_from_which_it_was_withdrawn,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is
Actual construction work shall begin on or beforeJuly 2. 1972 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972
Complete application of the water to the proposed use shall be made on or before October 1, 19.73
WITNESS my hand this 2nd day of July ,10-71.
STATE ENGINEER

Application No. G-5116

Permit No. G-4855

26

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of Fehrualy,

1970, at 2.000°clock A.M.

Returned to applicant:

July 2, 1971

Approved:

\$ 200