


Permit No. G- 4857

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

| I, Orville A. Reagan (Name of applicant)  |
|---|
| of 1505 4th St. Beker , county of Baker (Postoffice Address)  |
| (Postoffice Address)  |
| state ofdo hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:      |
| If the applicant is a corporation, give date and place of incorporation   |
| 1. Give name of nearest stream to which the well, tunnel or other source of water development is  |
| situated Powder River  (Name of stream)  Snake River  |
| tributary ofSnake River   |
| 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or   |
| 3. The use to which the water is to be applied is Irrigation  |
| 4. The well or other source is located 65 ft. N and 61 ft. W from the SE corner of SW 1/4 SW 1/4 of Section 7, T 16 S, R 38 E, W.M.  (Section or subdivision) |
| (If preferable, give distance and bearing to section corner)  |
|   |
| (If there is more than one well, each must be described. Use separate sheet if necessary) being within the SWE Of the SWE of Sec. 7 , Twp. 10S , R. 38 E      |
|   |
| W. M., in the county ofBaker  |
| 5. The NA 9 to be miles   |
| in length, terminating in the of Sec  |
| R, W. M., the proposed location being shown throughout on the accompanying map.   |
| 6. The name of the well or other works is   |
| DESCRIPTION OF WORKS  |
| 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.             |
|   |
|   |
| 8. The development will consist of having a having a  |
| diameter of 6 Inches inches and an estimated depth of 138 feet. It is estimated that 120  |
| Geet of the well will require Steel casing. Depth to water table is estimated 60 feet (Kind)  |
|   |

| 9. (a) Give dimensions at each point of canal where materially changed in size, stare eadgate. At headgate: width on top (at water line)   | evation between the channels of developments.  |
|--|--|
| (b) At   | evation between the state of development of the state of  |
| (b) At   | evation between the state of development of the state of  |
| (b) At   | evation between the second sec |
| feet; width on bottom  | evation between the second sec |
| rade   | evation between the second section between the second seco |
| (c) Length of pipe,ft.; size at intakein.; in size at om intakein.; size at place of usein.; difference in electake and place of use,ft. Is grade uniform?Estimatesec.ft.  10. If pumps are to be used, give size and typel½ In. Submersible   | evation between the control of development with mile from the channels of development with the channels of the chan |
| om intakein.; size at place of usein.; difference in ele  take and place of use,ft. Is grade uniform?Estisec. ft.  10. If pumps are to be used, give size and type1½ In. Submersible  Give horsepower and type of motor or engine to be used1½ Horsepower  11. If the location of the well, tunnel, or other development work is less than one-fo natural stream or stream channel, give the distance to the nearest point on each of suce edifference in elevation between the stream bed and the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the ground surface at the ground  | evation between the control of development with mile from the channels of development with the channels of the chan |
| take and place of use,   | Sears ourth mile front channels of developm  |
| 10. If pumps are to be used, give size and type 1½ In. Submersible  Give horsepower and type of motor or engine to be used 1½ Horsepower - S  11. If the location of the well, tunnel, or other development work is less than one-fonatural stream or stream channel, give the distance to the nearest point on each of suce difference in elevation between the stream bed and the ground surface at the source of the stream of the  | Sears  ourth mile from the channels of developments of developments.   |
| 10. If pumps are to be used, give size and type 1½ In. Submersible  Give horsepower and type of motor or engine to be used 1½ Horsepower - S  11. If the location of the well, tunnel, or other development work is less than one-fonatural stream or stream channel, give the distance to the nearest point on each of suce edifference in elevation between the stream bed and the ground surface at the source of the stream of the | Serrs  ourth mile from the channels of developments of developments.   |
| Give horsepower and type of motor or engine to be used 1½ Horsepower - S  11. If the location of the well, tunnel, or other development work is less than one-fonatural stream or stream channel, give the distance to the nearest point on each of such edifference in elevation between the stream bed and the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the stream of the ground surface at the source of the ground surface at the stream of the ground surface at the | Serrs  ourth mile from the channels of developments of developments.   |
| 11. If the location of the well, tunnel, or other development work is less than one-fo natural stream or stream channel, give the distance to the nearest point on each of succeedifference in elevation between the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed at the stre | ourth mile fr<br>ch channels of<br>of developm   |
| 11. If the location of the well, tunnel, or other development work is less than one-fo natural stream or stream channel, give the distance to the nearest point on each of succeedifference in elevation between the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed at the stre | ourth mile fr<br>ch channels of<br>of developm   |
| 11. If the location of the well, tunnel, or other development work is less than one-fo natural stream or stream channel, give the distance to the nearest point on each of succeedifference in elevation between the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed at the stre | ourth mile fr<br>ch channels of<br>of developm   |
| natural stream or stream channel, give the distance to the nearest point on each of suc e difference in elevation between the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed at  | ch channels of developm  |
| Township E. or W. of Num   | pter Vall  |
| INDEXEST XENDEXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX   |  |
| 10S 38E 7 SW of the SW 3.1   |  |
| 10S 38E 18 NW1 of the NW1 2.0  |  |
|  | <u></u>  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |



## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is \_\_\_\_irrigation\_\_\_\_\_ If for irrigation, this appropriation shall be limited to .....1/80...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3...... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is March 2, 1970 Actual construction work shall begin on or before \_\_\_\_\_July\_2, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72..... Complete application of the water to the proposed use shall be made on or before October 1; 1973.... WITNESS my hand this .... 2nd .... day of ...... STATE ENGINEER This instrument was first-received in the 5 office of the State Engineer at Salem, Oregon STATE ENGINEER APPROPŘIATE THE GROUND 6-4857 WATERS OF THE STATE page Application No. G-5...1 Ground Water Permits on page CHRIS L. WHEFLER OREGON L'a.C. o'clock Recorded in book No. ... day of Drainage Basin No. to applicant. Permit No. G-.

on the 2ad

70

19.20, at

Returned

Approved: