

Permitt No. G- 4859

APPLICATION FOR A PERMIT

CERTIFICATE NO. 45174

To Appropriate the Ground Waters of the State of Oregon

(Name of applicant) of Rt. # 1 Harrisburg
state of Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
situated Willamette River (Name of stream) tributary of Columbia River 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute. 3. The use to which the water is to be applied is Irrigation of Row Crops 4. The well or other source is located 2130 ft. N. and 2860 ft. E. from the SaW, (N. or S.) (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the N. W. 1 of the S. E. 1 of Sec. 27. Twp. 158, R. 1-W, W. M., in the county of Linn
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or300 gallons per minute. 3. The use to which the water is to be applied isIrrigation of Row Crops 4. The well or other source is located _2130_ ftN and _2860_ ftE from the _S_W corner of27
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or300 gallons per minute. 3. The use to which the water is to be applied isIrrigation of Row Crops 4. The well or other source is located _2130_ ftN and _2860_ ftE from the _S_W corner of27
gallons per minute. 3. The use to which the water is to be applied is
4. The well or other source is located 2130. ft. N. and 2860. ft. E. from the S.W. (E. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the N. W. 1/4 of the S. E. 1/4 of Sec. 27 Twp. 158 R. U-W. W. M., in the county of Linn
4. The well or other source is located 2130 ft. N and 2860 ft. E. from the S.W. (N. or S.) (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the N.W. 1 of the S.E. 1 of Sec. 27 , Twp. 158 , R. 11-W , W. M., in the county of Linn
(If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the N. W. 1 of the S. E. 1 of Sec. 27. Twp. 15S., R. 1-W., W. M., in the county of Linn
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the N. W. 1/4 of the S. E. 1/4 of Sec. 27 , Twp. 158 , R. 14-W , W. M., in the county of Linn
being within the N. W. 1 of the S. E. 1 of Sec. 27, Twp. 158, R. 14-W, W. M., in the county of Linn
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works isWell #.2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of A inches and an estimated depth of 20 feet. It is estimated that 20
feet of the well will requireSteel

<u>ሮ</u> Δ	NAT.	SYSTEM	OR	PIPE	T.INE

feet; width on bottom	ate. At ho	adaate: width on to	p (at water li	ne)		feet: width on bo	tt
mod feet. (b) At			**			•	
(b) At mile from headgate: width on top (at water line) feet; width on bottom feet; width on bottom feet; width on bottom feet; depth of water feet; width on bottom feet; width feet; depth of water feet; width on bottom feet; depth of water feet a in.; in; in; in; in; in; in; in; in; in; in		jeet; depth of w	ater	Jeet; graae		jeet jail pej	• (
feet; width on bottom feet; depth of water feet; depth of water feet feet fall per one thousand feet. (c) Length of pipe, fit; size at intake in; in; in size at nake in,; in size at make in,; size at place of use in,; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacity sec. ft. (d) If pumps are to be used, give size and type L.S. M.P. C.S. T. S.							
feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at i			,, , ,	-			
(c) Length of pipe, ft.; size at intake in.; in size at make in.; in size at make in.; in.; in size at make in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 10 If pumps are to be used, give size and type in the size in the si					epth of water		fe
make in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 10 If pumps are to be used, give size and type for an experiment work is less than one-fourth mile for a stream or stream channel, give the distance to the nearest point on each of such channels afference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for a stream or stream channel, give the distance to the nearest point on each of such channels afference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for a stream or stream channels afference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for a stream of the well, tunnel, or other development work is less than one-fourth mile for a stream of the well, tunnel, or other development work is less than one-fourth mile for a stream of the stream of th							
and place of use,	~						
Sec. ft. 10 If pumps are to be used, give size and type		•					
Give horsepower and type of motor or engine to be used			ft. I	s grade uniform?			
Give horsepower and type of motor or engine to be used							
Give horsepower and type of motor or engine to be used	10.) If pur	nps are to be used, g	rive size and t	ype	C & 22 /2		ala. Yan
11. If the location of the well, tunnel, or other development work is less than one-fourth mile friends tream or stream channel, give the distance to the nearest point on each of such channels a figerence in elevation between the stream bed and the ground surface at the source of development of development of the source of development of development of developme						3	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile friend stream or stream channel, give the distance to the nearest point on each of such channels afference in elevation between the stream bed and the ground surface at the source of development of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Township 14. Township 15. S 16. S 17. Williamstite Meridian 18. Section 19. Williamstite Meridian 19. 19. Williams	Give hors	epower and type of	motor or eng	ine to be used	5. H.P.		••••
Township Rance Number Acres To Be Irrigated. 12. Location of area to be irrigated, or place of use		t		<u></u>	••••••••		
Township Rance Number Acres To Be Irrigated. 12. Location of area to be irrigated, or place of use	11. If the	location of the well	, tunnel, or ot	her development w	ork is less that	n one-fourth mile	fr
12. Location of area to be irrigated, or place of use Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres 15 S R-1-W 27 N. E. \frac{1}{4} - S. W. \frac{1}{4} \] 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} \] 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} \] (It more space required, attach separate sheet)							
Township E or W. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irricated 15 S R-1-W 27 N. E. \frac{1}{4} - S. W. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 16 Mumber Acres To Be Irricated 17 N. W. \frac{1}{4} - S. E. \frac{1}{4} 18 Number Acres To Be Irricated 19 N. W. \frac{1}{4} - S. E. \frac{1}{4} 19 N. W. \frac{1}{4} - S. E. \frac{1}{4} 10 Number Acres To Be Irricated	ifference in	elevation between	the stream b	ed and the ground	surface at the	source of develop	m
Township E or W. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irricated 15 S R-1-W 27 N. E. \frac{1}{4} - S. W. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 16 Mumber Acres To Be Irricated 17 N. W. \frac{1}{4} - S. E. \frac{1}{4} 18 Number Acres To Be Irricated 19 N. W. \frac{1}{4} - S. E. \frac{1}{4} 19 N. W. \frac{1}{4} - S. E. \frac{1}{4} 10 Number Acres To Be Irricated							
Township E or W. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irricated 15 S R-1-W 27 N. E. \frac{1}{4} - S. W. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 16 Mumber Acres To Be Irricated 17 N. W. \frac{1}{4} - S. E. \frac{1}{4} 18 Number Acres To Be Irricated 19 N. W. \frac{1}{4} - S. E. \frac{1}{4} 19 N. W. \frac{1}{4} - S. E. \frac{1}{4} 10 Number Acres To Be Irricated	***************************************				••••••	••••••••••••••••••••••••••••••	
Rance E. or W. of S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irricated 15 S R-1-W 27 N. E. \frac{1}{4} - S. W. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 15 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 16 S R-1-W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} 17 OF SECTION OF THE IRRICAL SEPARATE SHEET OF THE IRRICAL							
Township N. or S. Willamette Meridian Section Forty-acre Tract Number Acres 15 S R_l_l_W 27 N. E. \frac{1}{4} - S. W. \frac{1}{4} \] 15 S R_l_l_W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} \] 15 S R_l_l_W 27 N. W. \frac{1}{4} - S. E. \frac{1}{4} \] (If more space required, attach separate sheet)							
15 S R-14-W 27 N. W. 1 - S. E. 1 -10-16-2	12. Locat	ion of area to be irr	igated, or pla	ce of use			
(If more space required, attach separate sheet)	Township	Range E. or W. of				Number Acres	
	Township	Range E or W of Willamette Meridian	Section		act	Number Acres	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	2
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	2
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	2
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	2
Character of soil	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27		S. W. 1/4	Number Acres To Be Irrigated	
	Township N. or S.	Range E. or W. of Williamette Meridian	Section 27 27	Forty-acre Tre N. E. 1/4 - N. W. 1/4 -	S. W. 1/4 S. E. 1/4	Number Acres To Be Irrigated	2
Kind of crops raised	Township N. or S. 15 S 15 S	Range E. or W. of Willamette Meridian RelieW	Section 27 27 (If more space re	Forty-acre Tre N. E. 1/4 - N. W. 1/4 -	S. W. 1/4 S. E. 1/4	Number Acres To Be Irrigated	2

MUNICIPAL SUPPLY—	G 400;
13. To supply the city of	
incount	y, having a present population of
and an estimated population of	
na an estimated population of	in 19
r 🚜 .	TIONS 14, 15, 16, 17 AND 18 IN ALL CASES
(14.) Estimated cost of proposed	works, \$ 200
15. Construction work will begi	in on or before
16. Construction work will be co	ompleted on or before
17. The water will be completed	ly applied to the proposed use on or before APXIL 1970
	y is supplemental to an existing water supply, identify any appl or adjudicated right to appropriate water, made or held by th
oplicant.	
	1,,,,,,
· · · · · · · · · · · · · · · · · · ·	(Signature of applicant)
Remarks:	* * * * * * * * * * * * * * * * * * * *
	• •
	······································
······································	
	• ^
_	
TATE OF OREGON, ss.	•
County of Marion, \int_{0}^{∞}	
This is to certify that I have ex	camined the foregoing application, together with the accompanying
iaps and data, and return the same jo	orcompletion
In order to retain its priority, th	his application must be returned to the State Engineer, with corre
ions on or beforeMay. 25th	10.70
ons on or beforePag. 2. Jul.	
•	
WITNESS my hand this25th.	day of, 19.70
WEGEINE W	CHRIS L. WHEELER
APR 1.61970 Bay	STATE ENGINEER
STATE ENGINEER	By Jan Jana
SALEM OREGON	ASSISTANT

Wayne J. Overcash

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
or source of appropriation, or its equivalent in case of rotation with other water users, from well #2
The use to which this water is to be applied isirrigation
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed22
acre feet per acre for each acre irrigated during the irrigation season of each year;
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is
Actual construction work shall begin on or before. July 2, 1972 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72
Complete application of the water to the proposed use shall be made on or before October 1, 1973.
WITNESS my hand this2nd day of
STATE ENGINEER

Application No. G-5121

Permit No. G- 4859

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon on the 2 day of March

1970, at 8:000'clock

Returned to applicant:

July 2, 1971 Approved:

Recorded in book No. ...

CHRIS L. WHEELER STATE ENGINEER Drainage Basin No. . Z... page . 116...