

RECEIVED
MAR 11 1970
STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 44038

Permit No. G-4863

CERTIFICATE NO. ~~43632~~

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Mike Kenagy (Name of applicant)
of Rt. 1 Box 122 Hubbard, county of Marion (Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Rock Creek (Name of stream)

tributary of Pudding R.

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 650 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located N 18° W 650 ft.
ft. (N. or S.) and ft. (E. or W.) from the SE
corner of NW 1/4 SE 1/4 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 31, Twp. 4S, R. 1E,
W. M., in the county of Marion Clackamas

5. The (Canal or pipe line) to be miles
in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R.
W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one (Give number of wells, tunnels, etc.) having a
diameter of 12 inches and an estimated depth of 350 feet. It is estimated that 350
feet of the well will require Steel (Kind) casing. Depth to water table is estimated 50 (Feet)

CANAL SYSTEM OR PIPE LINE—

G 4863

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Turbine 8"

Give horsepower and type of motor or engine to be used 60 hp Elect.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
4S	1E	31	NW¼ NE¼	Supp'l	Primary
					34.0
			SW¼ NE¼	1.0	32.9
			NE¼ NW¼		5.5
			SE¼ NW¼	11.0	9.7
			NE¼ SW¼	4.7	25.0
			SE¼ SW¼	16.7	
			NE¼ SE¼	10.2	
			NW¼ SE¼	8.5	16.5
			SW¼ SE¼	29.9	
			SE¼ SE¼	24.0	
				106.0	123.6
				Total 229.6	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
 in county, having a present population of
 and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....
 15. Construction work will begin on or before Started
 16. Construction work will be completed on or before Completed
 17. The water will be completely applied to the proposed use on or before Completed

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

x Mike Kenney
 (Signature of applicant)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~classification and completion~~

In order to retain its priority, this application must be returned to the State Engineer with conditions on or before July 13th, 1970..
 November 10th

WITNESS my hand this 11th day of May, 1970..
 10th September

RECEIVED
 JUL 21 1970
 STATE ENGINEER
 SALEM, OREGON

CHRIS L. WHEELER
 STATE ENGINEER

By Wayne J. Overcash
 ASSISTANT

RECEIVED
 SEP 14 1970
 STATE ENGINEER
 SALEM OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.45 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.


The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 11, 1970

Actual construction work shall begin on or before July 2, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 2nd day of July, 1971



STATE ENGINEER

Application No. G-5125

Permit No. G-4863

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11 day of March,
1970, at 10:57 o'clock A. M.

Returned to applicant:

Approved:

July 2, 1971

Recorded in book No. _____ of _____

Ground Water Permits on page G-4863

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 116

37.00